Stráský and Nečas

ISBN 978-0-7277-6385-3

<https://doi.org/10.1680/dcpb.63853.227>

ICE Publishing: All rights reserved

Index

Page numbers in *italics* refer to illustrations. Tables are indicated by an italic *t* following the page number.

- abutments, 41, 49
- Acla Chuo Bridge (Switzerland), 42
- Almonte River viaduct (Spain), 96
- anchorage, 13, 14, 23
- Anita Garibaldi Bridge (Brazil), 101, 108
- Antošovice Lake bridge (Czech Republic)
 - See Odra River and Antošovice Lake bridge (Czech Republic)
- arch bridges
 - cantilever construction of, 95–96, 96
 - curved arch structures, 153–157
 - precast arch structures, 177–181
 - ribs, 148, 148
 - stationary scaffolding of, 84–85, 85
 - structural types of, 34–37, 36, 37, 38
- Arco de la Regenta bridge (Spain), 96
- Arrábida Bridge (Portugal), 84, 85
- Aue Bridge (Germany), 1, 2
- B (Bernoulli) regions, 157–158
- balanced cantilevers, 101–102
- balancing dead load, 121–126, 121, 122, 124, 126, 128
- Bay Bridge (California, USA), 75–76, 77, 99, 101, 206, 213–215
- beam analysis, 134–142
- beam bridges, precast
 - See precast beam bridges
- bending moments
 - cantilever construction and, 219–223, 222
 - continuous structures and, 169–172, 171
 - in deck of arch structure, 147
 - effects of prestressing and, 19–24
 - incrementally launched structures and, 195, 195
 - progressive erection of precast segmental structures and, 201, 201, 202, 204, 204
 - redistribution of stresses and, 119–125, 119*t*, 120*t*, 121, 123
 - span-by-span construction and, 183–185, 184, 185
- Benicia–Martínez Bridge (USA), 71, 71, 72, 206, 212–213, 213, 214
- Bircherweid Bridge (Switzerland), 8
- Bitarová viaduct (Slovakia), 60–61, 62, 86, 189, 189, 190
- blisters, 191–192
- Bohumín pedestrian bridge (Czech Republic), 54–55, 54, 55
- bonded tendons, 12, 112
- bottom slabs, 142, 150, 158
- box girders
 - beam analysis of, 134–137
 - modelling of, 131–132
 - strut-and-tie model of, 158
 - use of, 27–29, 31–34, 55, 56, 60–71
 - variable girder depth, 141–142
- Bras de la Plaine Bridge (Réunion, France), 6, 31
- bridge construction
 - of cast-in-place structures, 83–96
 - of hybrid structures, 104–109
 - of precast structures, 96–104
- Bridge No. 203 (Slovakia), 207, 207
- bridges and bridge types
 - arch. See arch bridges
 - buried and one-span, 47–49, 47
 - cable-stayed. See cable-stayed bridges
 - cable-supported, 6–7, 37–39, 38, 42, 152–157
 - concrete. See concrete bridges
 - earth suspension, 42
 - frame, 24, 36
 - long-span, 173–181, 173
 - motorway and highway viaducts, 59–67, 59
 - motorway overpasses, 49–55
 - one-span, 47–49, 47
 - pedestrian. See pedestrian bridges
 - precast beam. See precast beam bridges
 - prestressing and, 1–3
 - rivers, crossing, 67–76, 69
 - rotation of, 5, 91–92, 91, 101
 - skew crossings, 55–56, 55
 - stress-ribbon, 8, 44, 44
 - structural types of, 28
 - suspension, 7–8, 37, 39, 42–43, 43, 152
 - transportation of, 5
 - urban viaducts, 56–59, 57
 - valleys, over deep, 76–81, 78
 - See also bridge construction; decks; specific bridges

- Brno bridge (Czech Republic), 56, 151
- Brno viaduct (Czech Republic), 202–204, 202
- Brotonne Bridge (France), 73, 74, 75, 210–212, 213
- buried bridges, 47–49, 47
- butterfly panels, 107
- cables, external, 12–13, 15–16, 221
- cable-stayed bridges
 - balancing the dead load in, 123–126
 - cantilever construction of, 95
 - modelling of deck, 152
 - structural types of, 38, 39–41, 39, 40, 41
- cable-supported bridges, 6–7, 37–39, 38, 42, 152–157
- calculation, 131–132
- camber, 223–226
- Cannstatter Street pedestrian bridge (Germany), 47–48
- cantilever construction
 - bottom slabs of cantilever bridges, 150
 - camber, design of prestressing and, 219–226
 - decks and, 205–206, 216–219
 - erection of segments, 101–104, 102
 - in general, 4–6, 92–96, 93
 - progressive, 95
 - redistribution of stresses and, 120
 - supports and, 206–216, 207
- Caracas bridge (Venezuela), 151, 151
- carbon fibre reinforced polymer (CFRP), 16
- Cascella Bridge (Switzerland), 78
- casting beds, 11
- cast-in-place structures
 - cantilever construction of, 92–96
 - heavy lifting and rotating of, 91–92
 - incremental launching of, 88–91
 - movable scaffolding and, 85–88
 - span-by-span construction of, 183–195
 - stationary scaffolding and, 83–85
- CEB (Euro-International Committee for Concrete), 113
- Changis-sur-Marne Bridge (France), 3
- Charix Viaduct (France), 89
- Colorado River Bridge (USA), 6
- Columbia River Bridge (Canada), 3
- composite bridges, 30, 175
- composite haunches, 175–176
- concrete, 1, 111–114, 111
- concrete, creep and shrinkage of
 - creep coefficient, 115*t*, 116
 - functions of, 115–116, 115
 - redistribution of stresses due to changes in static systems, 119–120, 120
 - redistribution of stresses due to deformations of supports, 119, 119
 - redistribution of stresses due to members' ages, 117–118, 117, 118*t*, 118
 - redistribution of stresses in cantilever structures, 120, 120*t*, 120
 - redistribution of stresses in decks of progressively erected structures, 126–130
 - shrinkage strain, 115*t*, 116
 - time-dependent analyses of, 116–117, 116, 117
- concrete bridges
 - beam analysis for box girder, 134–142
 - cable-supported, 152–153
 - curved arch and cable-supported, 153–157
 - curved structures and members, 146–151
 - decks, analysis of, 145–146
 - elastic modelling of, 131–133
 - grillage analysis of, 142–144
 - structural types of, 133–134
 - strut-and-tie analyses of, 157–162
- connection of deck to steel nose, 199
- construction of bridges
 - See* bridge construction
- continuous structures, 167–173
- Corgo River bridge (Portugal), 88
- coupling of tendons, 14
- crack width, 111, 112, 114
- cranes, 101
- creep of concrete
 - See* concrete, creep and shrinkage of
- Crown Princess Mary's Bridge (Denmark), 6, 103
- curved structures and members, 146–151
- cyclist trails, 7–8
- D (discontinuity) regions, 157–158
- Danube Canal bridge (Austria), 73, 74, 92, 92, 126, 126, 127
- dead load, balancing, 121–126
- de-bond strands, 11
- decks
 - analysis of, 145–146
 - arches, 37, 71
 - axis, bridges supported in the, 34
 - connection to steel nose, 199
 - piers, above, 216
 - precast girder, 165–166
 - stresses, checking of, 192–195
 - structural types of, 133–134
 - supported by a pair of slender piers, 215–216
 - supported by monolithic connection to piers, 212
 - supported by two rows of bearings, 210–212
 - of suspension bridges, 42
 - of typical width, of bridges, 27–30, 28
 - of wide bridges, 30–33
- deformations of supports, 119
- delayed elasticity, 115
- Delta Ponds pedestrian bridge (USA), 126, 127, 128
- diaphragms, 27, 217–219
- Dishinger, Franz, 1
- Dolianský Creek Valley viaduct (Slovakia), 109
- double vertical diaphragms, 218, 218, 219
- draped strands, 11
- draped tendons, 121–122, 151

- Dubai Metro viaducts, 4, 30, 58–59, 59
duct friction, 22–23
Düsseldorf bridge (Germany), 58, 59
- earth suspension bridges, 39
Ebro River bridge (Deltebre, Spain), 76
Ebro River bridge (Zaragoza, Spain), 24, 73, 73, 77, 78, 129, 130, 130
effective width, 137–140, 138
elastic modelling of concrete bridges, 131–133
elasticity, theory of, 111–112, 114, 140
elastomeric bearing pads, 210–212
Elbe River motorway bridge (Czech Republic), 74, 109
 balancing the dead load of, 124–126, 126
 elevation of, 125
 hybrid structure of, 109
 redistribution of stresses in, 127
 stay cables, function of, 152, 153
 structural type of, 73
Elz Viaduct (Germany), 3, 4
environments, natural, 3, 4, 5–6, 7, 9
epoxy resins, 98–99
equivalent forces, 17, 23
equivalent load, 19, 21, 22, 23
erection of segments, 100–104
Ernst modulus, 153, 153
Eurocodes, 114
Euro-International Committee for Concrete (CEB), 113
expansion piers, 71
external prestressing, 12, 112
extradosed structures, 40–41
- Favre, R., 122
fib (International Federation for Structural Concrete), 113
Finsterwalder, Ulrich, 8
FIP (International Federation for Pre-stressing), 113
floating couplers, 14–15, 15, 189
footbridges
 See pedestrian bridges
frame bridges, 24, 36
Freyssinet, Eugene, 3
friction, 22–23
Furukawa Bridge (Japan), 107
- Ganter Bridge (Switzerland), 6, 7, 80, 80
gantries, launching, 97–98, 102, 103, 209–210
Gerber hinges, 34
Ghali, Professor, 218
girder prestressing, 2
grillage analysis, 142–145, 142, 146
- hanging-up reinforcements, 161–162
Harbor Drive pedestrian bridge (USA), 43, 156–157, 156
haunches, composite, 175–176
heavy lifting, 91–92
- Helgeland Bridge (Norway), 96
highway viaducts, 59–67, 59
 See also specific highway viaducts
Hladke Životice motorway viaduct (Czech Republic), 59, 60, 187, 187, 188
Hoover Dam Bridge (USA), 6
horizontally draped tendons, 151
Hostovsky Creek Valley viaduct (Slovakia), 66, 67, 109, 191
 construction of, 191, 192
 design of, 65–66
 redistribution of stresses in, 128–129
Houffalize Viaduct (Belgium), 85
Hricov reservoir viaduct (Slovakia)
 See Strazov Pond and Hricov reservoir viaduct (Slovakia)
hybrid structures, 104–109
hydraulic jacks, 85, 89
- I-280 bridge (USA), 4
Inachus Bridge (Japan), 43
inclined diaphragms, 217–218
incremental launching, 88–91, 89, 195–199
indirect supports, 160, 161–162, 161, 162
Infant Dom Henrique Bridge (Portugal), 78, 78, 79
instantaneous losses, 22
 See also losses, prestressing
internal prestressing, 12, 112
International Federation for Pre-stressing (FIP), 113
International Federation for Structural Concrete (*fib*), 113
Interstate 10 bridge (USA), 174, 174, 175
- Janovce motorway bridge (Slovakia), 88
joints, construction, 185–187
- Kayak Bridge (Slovakia), 108
 camber of, 224–226, 225, 226
 construction of, 191–192, 192, 193, 208
 supports of, 208
Kelheim Bridge (Germany), 8
Kent Messenger Bridge (UK), 8
Knínice viaduct (Czech Republic), 60, 61, 185, 187, 188, 189
Kobara valley bridge (Japan), 97
Kocher Viaduct (Germany), 63
Kőröshegy Viaduct (Hungary), 87
Kostiviarska motorway junction (Slovakia), 57, 58
Krahnberg Bridge (Germany), 3
Kylesku Bridge (Scotland), 5, 5, 79, 79, 91
- Lahn Bridge (Germany), 5
Langer girder, 36
launching, incremental, 88–91, 195–199
launching gantries, 97–98, 102, 103, 209–210
Leonhardt, F., 122, 161
Lérez River bridge (Spain), 6–7, 7
lifting, heavy, 91–92
Lin, T. Y., 122

- Linn Cove viaduct (USA), 4, 61, 62, 63, 103, 104
 load, balancing dead, 121–126
 Long Key viaduct (USA), 101
 longitudinal precast beams, 97–98
 long-line method of segment production, 99, 99
 long-span bridges, 173–181, 173
 losses, prestressing, 22–24, 118
 Lunda footbridge (Sweden), 104, 105
- Maetani Bridge (Japan), 30
 Maillart, Robert, 78
 Mathivat, Professor, 218
 members, 15–16, 117–118
 Menn, Christian, 78, 80
 Místecká Bridge (Czech Republic), 57, 83
 Model Code (MC) 90, 116
 modelling
 of deck connection to another structural member, 146
 elastic, of concrete bridges, 131–133
 of prestressing, 18, 19, 22–24
 of structures by beam elements, 140–141
 monostrands, 11
 Morandi, Riccardo, 3
 motorway bridge (Czech Republic), 48, 49, 50, 51, 98
 motorway bridge (Slovakia), 97, 98
 motorway overpasses, 49–55
 motorway viaducts, 59–67, 59
 See also specific motorway viaducts
 movable scaffolding, 85–88, 86, 88, 185, 190
 Mukogawa Bridge (Japan), 80–81, 81
- natural environments, 3, 4, 5–6, 7, 9
 neoprene bearings, 212
 Nitra expressway bridge (Slovakia), 53–54, 53, 54
 Nitra River viaduct (Slovakia), 70
 construction of, 196–197, 196, 197, 207
 structural type of, 70–71, 71
 supports of, 207
 noise barriers, 58
 Nusle Valley bridge (Czech Republic), 66–67, 67, 68
- Odra River and Antošovice Lake bridge (Czech Republic), 13, 32, 75, 190
 construction of, 190, 191
 structural type of, 74–75, 76, 77
 Okegawa viaduct (Japan), 107
 Olomouc motorway bridge (Czech Republic), 44, 56, 86, 167–168, 168
 Olse River bridge (Czech Republic), 67, 69, 84, 157, 157
 one-span bridges, 47–49, 47
 organically prestressed scaffolding, 88
 Osormort Viaduct (Spain), 12
 overhead movable scaffolding systems, 86, 88
 overpasses, precast, 176–177, 176, 177
- Palermo–Sciaccia highway viaduct (Italy), 87
 Pasco–Kennewick Bridge (USA), 6, 7
- Pasohlavky bridge (Czech Republic), 56
 pedestrian bridges
 buried and one-span, 47–48
 design of, 81, 156–157
 load of, 40
 need for, 7–8
 stress-ribbon, 44
 suspension, 42, 43
 See also specific pedestrian bridges
 pier tables, 94, 94
 plain concrete, 111–114
 plasticity, theory of, 111–112, 113
 Plzeň Bridge (Czech Republic), 106–107, 106, 208–209, 209
 post-tensioned structures, 12
 Považská Bystrica viaduct (Slovakia), 65, 95
 construction of, 102, 210, 211, 212, 218
 structural type of, 63–65, 66
 precast beam bridges
 arch structures, precast, 177–181
 continuous structures, 167–173
 in general, 3–4
 girder decks, precast, 97, 165–166
 longitudinal precast beams, 97–104
 long-span bridges, 173–176
 overpasses, precast, 176–177
 precast overpasses, 176–177, 176, 177
 precast segmental structures, 200–204
 prestressed concrete, 111–114
 prestressing
 design of, 219–222
 effects of, 16–22, 17, 18, 19, 20, 21, 22, 150–151
 of frame structures, 24
 in general, 1–3
 losses, 22–24, 118
 of suspension cables, 24
 technology of, 11–16
 types of, 12, 112
 prestressing tendons, 187, 195–198
 pre-tensioned structures, 11–12
 production of segments, 99–100
 progressive cantilevers, 102–104
 progressive erection of precast segmental structures, 200–204
 pushing and pulling equipment, 89, 90
- Qurashiyah viaduct (Saudi Arabia), 216, 217
- Rajhrad motorway bridge (Czech Republic), 52–53, 53, 133
 rate-of-creep theory, 115, 119
 Ré Island Bridge (France), 103
 Redding viaduct (USA), 62, 63
 redistribution of stresses, 117–120
 Redmond, Oregon bridge (USA), 84
 reinforced concrete, 111–114

- reinforcements, hanging-up, 161–162
- ribs, arch, 148
- Rich Street Bridge (USA), 179–181, 179, 180
- Rieka bridge (Slovakia), 215–216, 223–224, 223, 224
- rivers, bridges crossing, 67–76, 69
- Rome–Florence railway viaduct (Italy), 98
- Roskilde Fjord viaduct (Denmark), 209–210, 210, 211, 222
- rotating bridges, 5, 91–92, 91, 101
- Ruck-a-Chucky Bridge (USA), 154–155, 154
- Rudná motorway junction (Czech Republic), 58, 151
- Rybny Creek motorway bridge (Czech Republic), 65
 - construction of, 89, 90, 195, 197, 197, 198, 199
 - structural type of, 63
- San Francisco Bay area bridge (USA), 56
- San Mateo interchanges (USA), 57
- scaffolding, 3–4, 83–88, 100–101
- segments, 99–100
- Seishun Bridge (Japan), 13
- seismic areas, 212, 216–217
- self-anchored systems, 38, 39, 76
- serviceability limit state (SLS), 114
- shear flow, 33
- shear forces, 23
- shell arches, 38
- Shin-Meishin Mukogawa Bridge (Japan), 31
- short-line method of segment production, 99–100, 99
- shrinkage of concrete
 - See* concrete, creep and shrinkage of
- single bridges, 63, 64
- single vertical diaphragms, 218–219
- Skarnsund Bridge, Norway, 7
- skew crossings, 55–56, 55
- Skyway viaduct (USA), 75–76, 77, 99, 206, 213–215, 214
- slab beams, 27
- slender arch structures, 22
- sloping diaphragms, 217–218
- software for time-dependent analyses, 116–117, 131
- space frames, 131
- span-by-span construction
 - of cast-in-place structures, 183–195
 - of precast segmental structures, 200
- spine girders, 55, 56, 60, 107–109
- splice beams, 173
- static functions, 169–173, 172, 173
- stationary scaffolding, 83–85, 83, 85
- stay and suspension cables, 15–16, 16, 152, 153
- steel, prestressing, 11
- steel nose, 199
- stiffness, 18, 23, 37, 140–141
- strands, 11
- Strazov Pond and Hricov reservoir viaduct (Slovakia), 69
 - construction of, 193–195, 194, 195, 216, 216
 - structural type of, 68–70, 70
- stresses, 9, 117–120, 186, 192–195
- stress-ribbon bridges, 8, 44, 44
- structural concrete, 111–114
- structural types
 - arch and frame bridges, 34–37
 - axis, bridges supported in the deck, 34
 - cable-supported bridges, 37–43
 - decks of bridges of typical width, 27–30
 - decks of wide bridges, 30–33
 - stress-ribbon bridges, 44
- strut-and-tie analyses, 157–162, 162
- struts, precast, 33
- Studénka motorway bridge (Czech Republic), 52
- Sunniberg Bridge (Switzerland), 41, 41, 42
- support diaphragms, 158–161
- supports, 119, 160, 161–162, 206
- suspension and stay cables, 15–16, 24
- suspension bridges, 7–8, 37, 39, 42–43, 43, 152
- Sverepec motorway junction (Slovakia), 57
- Svratka River bridge (Czech Republic), 8
- Sylans Viaduct (France), 31
- Takubogawa Bridge (Japan), 108
- T-beam structures, 27, 29
- technology of prestressing, 11–16
- Tempul Aqueduct (Spain), 1, 1
- tendons
 - coupling of, 14
 - horizontally draped, 151
 - internal, 12–15, 12, 14, 23
 - layout of, typical, 220, 221
 - prestressing, 187, 195–198
- tension members, 15–16
- thin-walled structures, 132, 135–136
- time-dependent analyses of creep and shrinkage, 116–117
- time-dependent losses, 22–24, 118
- Toledo Bridge (USA), 32
- Torroja, Eduardo, 1
- torsion, 33–34, 57, 137, 140
- towers, 39–42, 177
- transportation of bridges, 5
- transverse bending of curved structures, 148–149
- transverse diaphragms, 27
- travellers, 93
- trusses, 6
- twin bridges, 63, 64
- typical arch structures, 22
- ultimate limit state (ULS), 12, 113–114
- Ume River bridge (Sweden), 16, 16
- unbonded tendons, 112
- underslung movable scaffolding systems, 86, 88, 88
- urban viaducts, 56–59, 57

Váh River bridge (Slovakia), 87

Val Restel viaduct (Italy), 5, 5

valleys, bridges over deep, 76–81, 78

See also specific bridges

Valy Bridge (Slovakia), 79, 215

camber of, 223–224

construction of, 5, 215

cross-sections of, 80

pier diaphragm of, 218

supports of, 215–216

variable girder depth, 141–142

Viaduct du Claix (France), 104

viaducts, 4, 5

See also specific viaducts

Višňová motorway bridge (Slovakia), 98, 169, 170, 171, 175

voided slabs, 27

Vranov Lake pedestrian bridge (Czech Republic), 7–8, 13, 43, 106

Vršovice railway switching yard (Czech Republic), 124

balancing the dead load of, 124–126, 126

construction of, 103, 105, 127

elevation of, 125

Walther, Professor, 111

webs, 149–150

wedge set, 24

Willamette River bridge (USA), 71, 72, 84, 85

Wisconsin Avenue viaduct (USA), 106, 177–179, 177, 178, 179

wobble losses, 23

Žilina motorway bridge, 168–169

Zlaté Moravce expressway (Slovenia), 60, 60, 61