Geotechnical properties of the Belfast estuarine deposits

CROOKS, J. H. A. & GRAHAM, J. (1976). *Géotechnique* 26, No. 2, 293–315.

S. Leroueil and F. Tavenas, Department of Civil Engineering, Laval University, Quebec City, Canada

Numerous papers dealing with one aspect or another of the behaviour of natural clays can be found in the literature, but it is seldom possible to evaluate the interrelation between these various aspects and to obtain an overall picture of the behaviour of such soils because of the lack of published data on comprehensive studies. Crooks and Graham must be commended for having carried out such an investigation on the Belfast estuarine clays and for the detailed presentation of their results, particularly with respect to the yield behaviour of these clays. The addition to the literature of these data, on a clay which has not been publicized as much as the Scandinavian or the Canadian clays, will certainly help in establishing a better understanding of the behaviour of natural clays by allowing comparisons of clays of different origin and location. In this sense, the publication of the yield envelopes of the Holywood and Kinnegar clays should be extremely useful, and it is the purpose of this discussion to examine how these envelopes compare to similar data already available.

SHAPE OF THE YIELD ENVELOPES OF THE HOLYWOOD AND KINNEGAR CLAYS

The envelopes of the yield points obtained by Crooks and Graham from drained tests following a variety of stress paths are presented in Figs 14 and 15 of the Paper. For shear stresses less than those found in situ, the results presented suggest that the yield envelopes do not cross the isotropic line. In other words, based on the results of tests C-15 for Holywood and D-15 and D-16 for Kinnegar, any isotropic stress condition, including that corresponding to the post-sampling stresses would be outside the yield envelope and would thus correspond to a normally consolidated condition. If this were true, any sample of these clays would necessarily be remoulded. Such characteristics are questionable in as much as they are contrary to all available data on the yielding of natural clays, for which a well defined yield pressure exists in isotropic condition. Moreover, the analysis of the CIU test results presented in Fig. 17 and Tables 2 and 4 of the Paper indicate that the two clays investigated behave as overconsolidated materials up to isotropic consolidation pressures of the order of 40 to 45 kPa. This implies that an isotropic yield point exists at or above these values of the isotropic pressure, so that the overall shape of the yield envelopes would be somewhat different from that presented in Figs 14 and 15. It would indeed be useful if the Authors could provide the data on the consolidation stages of their CIU tests to allow a direct determination of the corresponding yield points.

The conflicting indications on the position of the yield envelopes may come from the method used by the Authors to determine the yield points in their different tests: various definitions of yielding had to be used depending on the type stress path followed, and tests C-15, D-15 and D-16 were interpreted from axial or lateral strains against axial or lateral stress plots. It is then logical that the resulting yield points do not agree with those determined from volumetric strains against octahedral normal stress plots, since, as shown by Roscoe and Burland (1968), the volumetric yield does not coincide in general with the limit of shear distortion.

COMPARISON WITH THE YIELD ENVELOPES OF THE ST ALBAN CLAY

In the course of a comprehensive investigation on the properties of the clay at a test site in St Alban, Quebec, we have obtained the volumetric yield envelopes on undisturbed samples from two depths in this clay deposit. These yield envelopes are shown on Fig. 1, along with the envelope suggested by Crooks and Graham for the Holywood clay.

As already noted, a volumetric yield point occurs at an isotropic pressure in excess of 43 kPa for the Holywood clay, so that the volumetric yield envelope of this clay probably assumes a shape as shown by the dashed line on Fig. 1, i.e. similar to the shape of the envelopes for the St Alban clay. Tavenas and Leroueil (1976) have suggested that the shape of the yield envelope of any natural clay is a function of the effective friction angle of the normally consolidated clay.

Table 1. Characteristics of the yield envelopes of 13 natural clays

Site	Probable deposition environment	Sampling	PI	ϕ'		$\frac{P_{vert\ max}}{P_{c\ iso}}$	$\frac{P_{c\ oed}}{P_{c\ iso}}$	$\frac{S_{u\ max}}{P_{vert\ max}}$	Reference
				$(\sigma'_1 - \sigma'_3)_{max}$ unstructured	$\left(\frac{\sigma'_1}{\sigma'_3}\right)_{max}$				
Matagami	Fresh water	Blocks	40				2.00		Lefebvre (1976)
Lyndhurst	Fresh water	NGI piston ϕ 54 mm	15	27°	31°	1.65	1.60	0.34	Graham (1974)
Rockcliffe	Brackish water	Osterberg ϕ 127 mm	40			1.25	1.15	0.26	Mitchell (1970)
Heron road	Brackish water	Blocks	36	27°		1.50	1.75		Wong and Mitchell (1975)
Ottawa	Brackish water	Blocks	40			1.22	1.40	0.25	McRostie <i>et al.</i> (1972)
St Louis	Brackish water	Blocks + ϕ 200 mm	23	24°		1.53	1.25	0.35	Tavenas and Leroueil (1976)
St Alban, 3.0 m	Brackish water	ϕ 200 mm	23	27°		2.15	2.05	0.34	Tavenas and Leroueil (1976)
St Alban, 5.7 m	Brackish water	ϕ 200 mm	17	27°		1.85	1.95	0.32	Tavenas and Leroueil (1976)
St Vallier	Salt water	Blocks	37	24°			1.50		Morin (1976)
Labrador	Salt water	Blocks	7	31°		1.40		0.19	Sangrey (1972)
Mastemyr	Salt water	NGI Piston ϕ 95 mm	8	$\approx 27^\circ$	27.5°	≈ 1.40	≈ 1.20	0.32	Graham (1969)
Drammen	Salt water	NGI Piston ϕ 95 mm	31		31.7°	1.50	1.50	0.27	Berre (1972)
Hollywood (Belfast)	Salt water	Blocks	22	26°	31°	≈ 1.70	≈ 1.50	≈ 0.30	Crooks and Graham (1976)

Fig. 1. Yield envelopes of the St Alban and Hollywood clays

Fig. 2. Typical yield envelope and characteristic parameters

Based on the results of the CAU tests C-10 and C-11, and using $(\sigma'_1 - \sigma'_3)_{\max}$ as failure criterion, the value of ϕ' for the Hollywood clay is about 26° , i.e. very close to the value of 27° determined in a similar manner on the St Alban clay. In the conceptual model proposed by Tavenas and Leroueil (1976), two clays with the same ϕ' will develop the same K_0 condition during deposition and the resulting yield envelopes, which represent the stress condition at the end of deposition, will be similar in shape. Fig. 1 seems to confirm this proposition.

COMPARISON WITH OTHER YIELD ENVELOPES

In recent years, data have been published, which allow a partial or full determination of the yield envelopes on a dozen natural clays of various origins. The direct and detailed comparison of these envelopes would be rather difficult due to the variable type and quality of data available. However, the general shape of the yield envelope of a natural clay can be represented as shown in Fig. 2. It can be characterized by three parameters: $P_{\text{vert max}}$, which should generally be close to P_c from oedometer tests: P_{c150} ; and $S_{u \max}$ —as well as by their ratios.

Table 1 summarizes the characteristics of the yield envelopes determined on twelve natural clays from various origins and on the Hollywood clay. It may first be noted that P_c and

Fig. 3. True shape of the yield envelope of the St Alban clay

$P_{\text{vert}_{\text{max}}}$ are very close to each other and would probably be equal in the absence of the usual variability of the results of tests on undisturbed samples. The analysis of the ratio of $P_{\text{vert}_{\text{max}}}$ to $P_{\text{c}_{\text{iso}}}$ leads to an important conclusion. The Cam clay and modified Cam clay models discussed by Roscoe and Burland (1968) give the equations for the theoretical shape of the yield envelope of an isotropically consolidated clay. According to these equations the maximum possible value of the ratio of $P_{\text{vert}_{\text{max}}}$ to $P_{\text{c}_{\text{iso}}}$ is about 1.18. As shown in Table 1, the experimental value of this ratio is in excess of 1.18 for all clays, and is generally of the order of 1.4 to 1.8. This indicates that the shapes of yield loci, and thus the constitutive equations of the Cam clay and modified Cam clay models would not be applicable to natural clays which have been deposited and consolidated under anisotropic stress conditions.

Tavenas and Leroueil (1976) suggest that the yield envelope of a natural clay is governed by the stress condition prevailing during deposition and consolidation. This stress condition has been shown to be governed by the maximum overburden pressure $P_{\text{vert}_{\text{max}}}$ and by the coefficient of earth pressure at-rest $K_0 = 0.9 (1 - \sin \phi')$. The resulting yield envelope appears to be centred on the K_0 line in the stress space and to cross this line at $P_{\text{vert}_{\text{max}}}$. Consequently, for usual values of ϕ' and thus of K_0 , the yield envelope will cross the isotropic line at a pressure $P_{\text{c}_{\text{iso}}}$ much lower than $P_{\text{vert}_{\text{max}}}$. The data in Table 1 confirm the general validity of this conceptual model. However, based on the shapes of yield envelopes published by some authors, it could be argued that these envelopes may not be truly centred on the K_0 stress condition. It should be noted though that a wide variety of stress space representations are used which often distort the true shape of the yield envelopes. To avoid this problem, yield envelopes should be represented in the $\sigma'_1, \sigma'_2, \sigma'_3$ space or in $\sigma'_1, \sqrt{2\sigma'_2\sigma'_3}$ graphs for triaxial stress conditions, as shown in Fig. 3. Other representations such as those used by Crooks and Graham may lead to some distortion of the shape of the yield envelopes.

Fig. 4. Strain rate effect on the envelope of the St Louis clay

The analysis of the data presented in Table 1 hardly indicates any trend in the variations of the characteristic parameters of the yield envelopes with either the plasticity index and the friction angle or the probable deposition environment of the different clays. This should not necessarily be interpreted as a proof of the absence of any such trend. Rather, it points out the necessity, in the determination of the yield envelope of any natural clay, of considering the effects of the criteria used for determining yielding as already discussed, of the natural variability of the clay, of the sampling operations, and of the strain rates on the test results.

FACTORS AFFECTING THE DETERMINATION OF YIELD ENVELOPES

The proper determination of the yield envelope of a natural clay is associated with some important difficulties.

First, in order to avoid the detrimental effect of the natural variability in clay properties, it is necessary to carry out the entire test programme on large samples originating from the same depth. The use of block sampling techniques is practically mandatory. Only in this way can the clay be assumed to have been submitted to a unique geological and stress history. Common, small diameter tube or piston sampling will, on the other hand, unavoidably induce some scatter in the test results. In addition, sampling with small diameter tubes is known to induce some disturbance of the clay. Eden (1971) has demonstrated the reductions in both strengths and preconsolidation pressures caused by various tube samplers in a stiff clay from Ottawa. La Rochelle and Lefèbvre (1971) have established (Fig. 4) the influence of tube sampling on the 'strength part' of the yield envelope of the St Louis clay mentioned in Table 1. More generally, by affecting the clay structure, small-diameter tube sampling can be assumed also to induce significant changes in the shape and position of the yield envelope of any natural clay.

A further problem which needs consideration in the experimental determination of the yield envelope of a natural clay, is that of strain rate effects. Based on their experimental investigation, Tavenas and Leroueil (1976) suggest that the effects of ageing and strain rates on the preconsolidation pressure of natural clays proposed by Bjerrum (1967) apply in fact to the entire yield envelope. The ageing of a clay results in a more or less homothetic displacement of its yield envelope towards higher strengths and pressures. Inversely, for an aged clay,

a specific yield envelope exists for each possible rate of stress application. It is thus mandatory to ensure the uniformity in the rates of all tests used to determine the yield envelope of a given clay, and to evaluate the rate dependency of this envelope if it is to be used in the analysis of practical problems.

In spite of these difficulties much emphasis should be put in future on the determination of yield envelopes in as much as the concepts of yielding provide the only rational basis for the analysis of the behaviour of natural clays.

Authors' reply

We have welcomed the detailed, constructive discussion presented by Leroueil and Tavenas. It was encouraging to find their carefully argued support for the existence and importance of 'structural' effects in natural post-glacial clays. Although they questioned the detailed interpretation of some of our tests, the main thrust of the discussion was to support the concept which we mutually accept that 'yielding' of natural clays may provide the only rational basis for the analysis of many field problems.

Leroueil and Tavenas have rightly questioned the shape of the lower parts of the yield envelopes in Figs 14 and 15, and have suggested that they do not compare qualitatively with data shown in Fig. 17, or with envelopes obtained from other sites. We agree; the envelopes in Figs 14 and 15 were presented only after considerable discussion, and we intended our text to reflect this uncertainty (p. 310). Despite our experience from other sites (Graham, 1969, 1974) which agrees closely with the suggestions by Leroueil and Tavenas, we felt obliged as a result of admittedly indefinite stress-strain curves such as those shown in Figs 12 and 13, to construct the yield envelopes as published. We are uncertain about attempts to correlate CIU undrained strengths with our yield envelopes (Leroueil and Tavenas, Fig. 2). Firstly the CIU samples were consolidated isotropically and then sheared in triaxial compression, whereas we would prefer to consolidate anisotropically to about p'_0 , $K_0 p'_0$ and then move towards yielding along a stress path which approaches an isotropic stress state. Secondly, experience with other clays has suggested that the CIU strength may be higher or lower than CAU strengths depending on the geochemistry of the samples and the volume strains which occur during isotropic consolidation.

The suggested modifications to the yield envelopes do, however, produce closer agreement with the 'work done' contours in Fig. 19. In the absence of positive supporting evidence we suspect that the 3%–4% organic matter in the Belfast clays (Fig. 2) may strongly influence the small-strain behaviour of these clays. This question requires further study.

Leroueil and Tavenas have proposed that the shape of the yield envelope is a function of ϕ' of the normally consolidated clay. While this is probably valid for clays which still exist in the same geochemical environment as at deposition and which have gained structural strength only through ageing, we question its general validity for clays which are cemented, highly sensitive or organic. The yield envelope is a small strain 'memory' of all the depositional, stress history, leaching and ageing processes which the clay has experienced, whereas the ϕ' , rupture envelope is obtained after relatively large strains and reflects only the most recent, post-sampling behaviour of that clay. Perhaps a good example of these two distinctive types of behaviour is the yield envelope shown by Mitchell (1970) for cemented Leda clay.

We note with interest the suggestion that yield envelopes become fairly sharp-nosed and symmetrical about the K_0 line, when plotted in σ'_1 , $\sqrt{2}\sigma'_3$ stress space.

Leroueil and Tavenas have rightly drawn attention to the need for the highest possible quality samples for determination of yield envelopes, and recommend block sampling. However, in the common case where p'_c/p'_0 varies with depth, there is also a need for good samples

from various depths to perhaps 10 m depth, and the development of high quality, large-diameter samplers may be needed to avoid the complexities and expense of deep block sampling.

Although the concept of yield envelopes in soft clays may initially appear difficult and esoteric, it is really only a generalization of overconsolidation as measured for example in one-dimensional consolidation and expressed by the ratio p'_c/p'_o . There is now evidence that yield envelopes do exist in many types of post-glacial clay and that they can contribute significantly to an understanding of field performances.

REFERENCES

- Berre, T. (1972). Sammenheng mellom tid, deformasjoner og spenninger for normalkonsoliderte marine leirer. *Proc. Nordic Conf. Soil Mech.*, Trondheim.
- Bjerrum, L. (1967). Seventh Rankine Lecture: Engineering geology of Norwegian normally consolidated marine clays as related to settlements of buildings. *Géotechnique* 17, No. 2, 81–118.
- Eden, W. J. (1971). *Sampler trials in overconsolidated sensitive clays*. Am. Soc. Test. Mat., S.T.P. 483, 132–142.
- Graham, J. (1969). *Laboratory results from Mastemyr quick clay after reconsolidation to the in-situ stresses*. Oslo: Norwegian Geotechnical Institute. Internal Report, F372–5.
- Graham, J. (1974). *Laboratory testing of sensitive clay from Lyndhurst, Ontario*. Kingston, Ontario: Royal Military College of Canada. Civil Engineering Research Report, 74-2.
- La Rochelle, P. and Lefèbvre, G. (1971). *Sampling disturbance in Champlain clays*. Am. Soc. Test. Mat., S.T.P. 483, 143–163.
- Lefèbvre, G. (1976). Private communication.
- McRostie, G. C., Burn, K. N. & Mitchell, R. J. (1972). The performance of tied-back sheet piling in clay. *Can. Geot. Jnl* 9, No. 2, 206–218.
- Mitchell, R. J. (1970). On the yielding and mechanical strength of Leda clays. *Can. Geot. Jnl*, 7, No. 3, 297–312.
- Morin, J. P. (1976). *Geotechnical behaviour of two quarternary clays from the St Lawrence Lowland*. PhD thesis, Laval University, Quebec.
- Roscoe, K. H. & Burland, J. B. (1968). On the generalized stress-strain behaviour of 'wet' clay. *Proc. Symp. Engineering Plasticity, Cambridge*, pp. 535–610.
- Sangrey, D. A. (1972). Naturally cemented sensitive soils. *Géotechnique* 22, No. 1, 139–152.
- Tavenas, F. & Leroueil, S. (1976). *Effects of stresses and time on yielding of clays*. Quebec: Laval University, Department of Civil Engineering. Internal Report GCI-76-03.
- Wong, P. K. K. & Mitchell, R. J. (1975). Yielding and plastic flow of sensitive cemented clay. *Géotechnique* 25, No. 4, 763–782.

The influence of the membrane restraint on the measured strength of a soil sample failing along a single shear plane in the triaxial test

PACHAKIS, M. D. (1976). *Géotechnique* 26, No. 1, 226–230.

Discussion by Mirata (1976). *Géotechnique* 26, No. 3, 539–540.

Author's reply (1977). *Géotechnique* 27, No. 1, 102.

T. Mirata, Middle East Technical University, Ankara, Turkey

The Author in his reply to my earlier discussion has objected to my proposal to take into account the frictional properties of the soil in deriving a membrane correction; he has interpreted this as including part of the strength of the soil in the membrane correction, apparently overlooking the fact that this added strength is produced due to the restraint of the rubber membrane.