Whither engineering economics?

K. G. ARMSTRONG

Mr D. W. Smith, University of Dundee and Consultant, Mott, Hay & Anderson

Mr Armstrong's Paper is exceptionally interesting to read but, at the end, have we arrived anywhere? One of the problems facing economics is that it has too many hares and has lost the capacity to reduce them to any kind of coherent discipline.

82. The Paper is redeemed by §§ 78 and 79, which, though they come out *ex cathedra* without clear connection to what has gone before, are in themselves excellent value: 'Only mongrels will do. . . . Undergraduates should be . . . exposed to . . . interdisciplinary planning'. Contrary to Mr Armstrong's implied comments, the University of Dundee is one of those which have been busy producing mongrels at honours degree level for a number of years, and preparing for this by making economics an integral part of the earlier years of the engineering undergraduate courses. The mongrels are quickly snapped up by industry even in those years when recruitment of pure-bred graduate civil engineers is sluggish.

83. Two other statements in the Paper call for correction. It is not true that there is no absolute measure of value (§ 16). A measure of value which is absolute in the sense that man cannot change or ignore it is the number of calories (or the mass of carbohydrate) which a man needs in order to live healthily.

84. Again, it would not be difficult to quote instances in which an analysis, which assisted orderly thinking, had caused harm owing to its incompleteness (§ 34). A technology which begins as a craft cannot quickly become a science. It passes through a 'pseudo-scientific' phase in which the decisions are still based on hunch and are not affected by the orderly thinking. It then enters the 'early scientific' stage in which decisions are based on inadequate science. A crop of failures is the result. To avoid this, mongrels are needed at all interfaces between disciplines.

Mr M. Snowdon

The Paper is welcome as a thoughtful and significant contribution to the understanding of the context in which engineering occurs. There is room for a great deal more attention to the wider environment of projects and it is appropriate that initiatives for their discussion should be taken within the Institution.

86. An important point seems to be the emphasis that value or worth can exist even though a precise number cannot be ascribed to it. There is a grave danger in a scientific world that properties which cannot be measured are treated as less important than those which can. A society which believes this moves to neglect of some of the most truly valuable features that it possesses.

87. It is thus necessary to look more closely at the concept of utility as providing the driving force or the motivation for the creation and execution of projects. The example

DISCUSSION

Fig. 6

of the crowd standing on tiptoe (§ 65) and the example of transport demand chasing its own tail (§ 75) demonstrate that for projects to be truly successful there must be a greater understanding of what is being sought before too much activity is undertaken. This must involve not only clarifying the objectives but also understanding the context in which the project is to be achieved.

88. Another pressing and immediate development from these examples leads to consideration of appropriate technology. As is shown in § 66, the application of technology to a problem (once that problem has been properly identified) can increase the utility which is available. The proponents of appropriate technology believe that skills can and must be employed in this way. Engineers know that they have the capability to achieve the required result. The difference lies principally in the involvement with defining the required result.

89. Figure 3 is particularly interesting and seems to be supported by the work of Elliott Jacques and Lord Wilfred Brown, who drew attention to the time span which elapses between the taking of a decision and the review of that decision. It might be possible to take the concept which it expresses and develop it to a more generalized pattern as shown in Fig. 6. In this form it may be even more obvious that engineering participation in the macro-decisions is frequently lacking. It is certainly obvious that all the decisions to be made depend on having a sound technical support if they are to be made to best effect.

Mr J. G. Perry, University of Manchester Institute of Science and Technology

The Author is to be congratulated on skilfully and positively developing the theme introduced by his colleague in the 1977 Presidential Address. It is stimulating to encounter an attempt to describe the philosophy of engineering economics rather than the techniques of its application. My comments are offered in the spirit of fuelling the debate and, while they may appear critical of some of the Paper's content, they should not be construed as critical of its intent.

91. The statement that 'The example of Stirling has failed to find a following' (§ 7) refers, I assume, to other universities having so far not embarked on courses similar to Stirling's. I wonder whether the words are equally true of the student uptake of the course and industry's demand for the graduates. Whether or not this is so, the total demand for engineering economists must currently be small in the light of the Author's comments that industry and international development agencies organize their staff into separate, clearly demarked engineering and economics departments. Perhaps this influences universities, with their limited resources, in deciding which courses to offer.

92. Before giving wholehearted support to the conclusions of § 79 I would suggest that serious consideration be given to the objectives of such teaching, bearing in mind the experience of those being taught and the cramped timetables of most engineering degree courses. The particular skill advocated by the Author is that of decision-making. University engineering departments have traditionally perceived this to be in terms of technical decision-making—seeking the optimal analytical procedure and design method. The Author argues, correctly in my opinion, that this should include engineering economics. I question whether this should be at the 'macro' level, as he concludes. The graduate engineer is unlikely to have to make macro-decisions as defined in Fig. 3. Rather he will be concerned with micro-decisions (concerning, for example, the best road surface and structure, resource selection and control, etc.). It therefore seems logical that these micro-decision processes should be taught to undergraduates in the context of both technology and economics. This is the way that we at UMIST seek to teach decision-making and engineering economics, and I am not convinced of our error.

93. With this basic skill and understanding of the techniques of engineering economics the young engineer will be able to apply the correct principles in his work. His involvement in macro-decisions comes later and he will undoubtedly need further education in the modelling techniques described by the Author and in the behavioural sciences. Here I fully endorse the conclusion that the Institution should actively encourage courses and, further, should be actively involved in their design, having first ascertained the real needs of industry and government in terms of trained manpower. In my view the Institution should initiate a research project with this objective, with this Paper as an excellent starting point. I doubt whether industries will ever accommodate the usual one-year postgraduate courses into their training of senior personnel. Advanced courses of up to three months' duration or shorter modular courses would seem to be the answer.

94. Finally on the need for macro-decisions (especially) to be made by mongrels! Which mongrel does the industry need most—the engineer trained to take economics into account or the economist trained to take engineering into account? If we were to be seen to be fair, good arguments could be advanced for both. Increasingly, macro-decisions are taken by multidisciplinary teams. I believe we should strive for a situation where the engineer can make his contribution to such teams without fear of or prejudice towards the other members, be they behavioural scientists, economists, accountants or politicians. Their disciplines are as complex as ours and we cannot hope to fully understand them. By the correct training, started in undergraduate courses and continued through their career, more engineers who have the necessary awareness, and hence confidence, will be available to make this contribution, which is so sadly lacking at present.

Mr J. F. Woodward, University of Stirling

The Paper makes a strong case for the existence of engineering economists with specific education and training in that joint discipline. Many engineers with experience of project costing may well consider that they know all that is important about economics, but most of them will be wrong; I would anticipate that few, if any, 'pure' engineers will appreciate the full significance of parts of this Paper, only the 'mongrels'

referred to by the Author will be able to do so. Unfortunately there are few mongrels, and as yet few academic programmes for them to follow. Even where such programmes exist most of the teaching must of necessity be provided either by engineers or economists, and until such time as interdisciplinary graduates appear this will remain largely the pattern. Stirling University has recently recruited two of its graduates in technological economics to its staff, after appropriate outside experience; some others have joined teaching staffs in universities and colleges elsewhere and hence the interdisciplinary subject is now spreading. The 'enhanced' first degree courses have now commenced and much will depend on their ability to attract appropriate students and to provide them with a fully integrated course: simply adding engineering and economics together will not suffice—this is clearly a case where the whole must be greater than the sum of the parts. The attitudes and approach of traditional engineers and economists differ so widely that in the early stages of joint courses students become confused. The engineering approach is normally a deterministic one which seeks an acceptable solution and is satisfied with trying to understand the problem and the way the solution might be affected by the total environment. Engineers will do well to follow the wider approach of the economist, while economists must come to decisions on the utilization of the world's resources—clearly the true engineering economist has much to offer.

96. I should like to echo the Author's final sentence in which he calls on the Institution to actively encourage the development of appropriate postgraduate courses.

Dr N. M. L. Barnes, Martin Barnes and Partners

The review of the state of engineering economics in the Paper rightly emphasizes the impact of economics on major engineering decisions. I suggest that the process of decision-making described is not peculiar to economic factors in engineering. It is applicable to most engineering decisions and indeed to management decisions in most human activities.

98. The first and largest engineering decision, whether to build something or not, is the one most hedged about by economic projections and the one considered most comprehensively in the literature. Subsequent decisions should also be based on the same two stages of analysis:

- (a) think up a wide variety of possible actions;
- (b) forecast the outcome of each action in order to choose the one which is likely to have the best outcome.

This approach applies to design decisions, to contractor's estimating and construction planning decisions and to many smaller-scale decisions which would be regarded as the province of management rather than economics.

99. Recognition of this decision-making pattern has led to the introduction of cost control systems whose most important function is helping to model the options for the remaining work.²⁵ Systems only work when they reflect the thinking of the people involved. Fortunately, the training of engineers usually attunes them to thinking about what should be done more than to recording and interpreting what has been done (the characteristic function of the accountant). The new attitudes to and systems for financial control of projects are therefore likely to be taken up effectively by engineers. If the original appraisal is based on a model of project cost, timing and value assembled by engineers, the same model framework and the same evolving set of data can be used as the basis of management decisions right through to project completion.

Mr Armstrong

A just treatment of the issues in this far-reaching discussion could run to a further paper. The reply which follows is necessarily condensed. It attends to the more tangible topics and leads from some specific items towards more general ones in an attempt to bring together conclusions with a semblance of order.

101. Some of the discussion has not quite found its mark. The Paper itself has been condensed and evidently lacks clarity on some issues. Its meaning of an absolute measure of value, for instance, has escaped **Mr Smith**.

102. He cites an absolute measure of value as stemming from man's need of calories to live healthily. It is true that some calories are always needed and that they have therefore a positive average value. However, there is a host of circumstances which can prepare people to pay almost any amount for a calorie; some indeed may pay handsomely not to have it. Gold, despite its deplorable history, is probably more consistently sought after.

103. With Fig. 6, **Mr Snowdon** substantially extends Fig. 3. He could have noted in doing so that such movement between specific and general descriptions has pitfalls. Fig. 6 is one of a number of arrangements which could have been so derived. Moreover, social objectives commonly appear in general terms. Their realization can only come from specific action. This necessary translation from general to specific is too often poorly done in macro-planning. More engineer strength integrated into teams in this field could help to add a practical dimension.

104. **Mr Snowdon's** linkage of the concept of utility to appropriate technology is strikingly perceptive. This linkage has a force which should be given more attention by the international funding agencies who still remain deeply preoccupied with the tenets of conventional financial and economic appraisal.²⁶

105. **Dr Barnes** has chosen to think of decisions as exclusively engineering or managerial. Economics to him is an external factor which comes in now and again.

106. This approach could only be sustained by a massive redefinition of the terms 'economics', 'engineering' and, by implication, 'management'. That task is far beyond the scope of this discussion even if it were desirable. The Paper relies on orthodox definitions. Samuelson is quoted on economics because of his pre-eminence in this field. The Institution's time-honoured definition of engineering has been assumed to remain valid.

107. The importance of follow-through from project decisions by systematic and consistently structured financial control is rightly emphasized by **Dr Barnes**. Although it may be noted that the scope for control diminishes progressively to zero as the project moves toward completion, a judicious measure of cost recording should be always maintained, not only for accountability, but also in order to accumulate useful data for subsequent project appraisal.

108. **Mr Perry** sees low industrial demand as the reason for there being few followers of *Stirling's technological economics* lead. The *Stirling* course itself has grown very slowly. **Mr Smith** reports a strong demand for engineering honours graduates from Dundee but it is not clear whether this demand is for them as engineer-economists or for engineers in conventionally segregated roles.

109. There is a significant distinction between teaching economics and technology as separate subjects and teaching an amalgam of the two for the reasons carefully explained by **Mr Woodward**. Similarly, it is not sufficient in practice to solve a technical problem and then check its worth. Technical ingenuity and social evaluation have to be orchestrated to go on simultaneously. They interact most flexibly if juggled within the mind; when extended by jotting down in numerical shorthand, sketching out graphically, or setting out exactly in computer programs, they lose vital momentum. However done, this thinking must switch in and out of physical, worth and risk models fluently and systematically and must pause almost intuitively whenever new information of any kind is called for.

110. **Mr Perry** wisely reflects that undergraduate teaching may be best if limited to the principles of micro-decision. The vaguer and more philosophical issues of macro-decision could be directed through short post-graduate courses at more mature people.

111. In an imperfect world, his caution contrasts vividly with the uninhibited practices of social science and arts faculties which pour into the decision-making arena a great abundance of young graduates ready to head straight for the macro end of the

spectrum. It is not surprising to find interdisciplinary teams in which slightly bewildered if numerately seasoned engineers try to mix with articulate but relatively inexperienced youngsters from other fields.

112. Within engineering, macro-decision is particularly relevant to civil engineers. Other engineers are not so consistently concerned with large-scale infrastructural and public works projects which often take many years to gestate, let alone endure in active service.

113. It is incorrect, **Mr Smith** suggests, to suppose that any analysis which assists orderly thinking has value. What he has in mind, however, is that incompleteness is harmful and that orderly thinking cannot ensure completeness. That is manifestly true and is perhaps the principal worry for all appraisals; that something absolutely vital is omitted or improperly accounted and the whole study is invalidated.

114. In the first sentence of his contribution, **Mr Smith** asks, somewhat rhetorically, 'have we arrive anywhere?' His question is germane to the title but does not bear directly on the sense of the Paper.

115. Clearly we have had to move from where we were. The upheavals of the 1970s have made too many economic beliefs untenable. As to arrival anywhere, it is not certain that we have done more than run hard to stand still. But run we must. It is hoped that this Paper will encourage the Institution and its members to run too and to use their great resources more actively within society.

References

25. BARNES N. M. L. Cost modelling—an integrated approach to planning and cost control. *Engineering and Process Economics*, 1977, 2, 45–51.
26. UNITED NATIONS INDUSTRIAL DEVELOPMENT ORGANISATION. *Guidelines for project evaluation*. UNIDO, New York, 1978, ID/SER. M/3.78.II.B.3.