Mr. T. E. HARRISON said, in the absence of the Author he would take the opportunity to make a few remarks upon the Paper. It was quite clear that its chief value consisted in the Tables. Those Tables contained the summary of facts as regarded the maintenance of a large rolling stock, amounting in value to a total of $2\frac{1}{2}$ millions, and spread over a series of 12 years; and extending over so long a period they would afford a large amount of information if carefully examined. Members would find some statistics there given in a form which it was probable they would adopt.

On the subject of statistics, he would remark, that it was one which he had felt to be most important in connection with railways. In the case of the North Eastern Railway, not knowing so well what was done by other railway companies in the same direction, it was carried to as large an extent as was practicable, in every department, even in its most minute details; and were prepared, not half yearly, or yearly, but weekly or fortnightly, and laid before Directors, who were thus enabled to see at a moment what was going on, and to draw their own conclusions upon some of the most important points relating to railway management.

These returns not only gave a comparison of one week with another, but of the same period in previous years. They showed at a glance whether justice was being done in the maintenance of the rolling stock. Again, in the case of the locomotive department, these statistics were brought not only before the Board of Directors, but they were submitted in certain details to the men themselves, so that they could test the advantage of one locomotive man over another, down to every item; and the same system was carried throughout the whole railway, from one end of it to the other. It was conducted upon the plan of "a place for everything, and everything in its place." In every department, however small, a printed form was issued, which being filled up at regular periods, showed the whole progress of the operations weekly. His experience of more than thirty years in railway management led him to the conclusion, that it was impossible for any railway company to carry out too strictly, or too minutely, similar returns.

The Author, in these Tables, had endeavoured to lay before the Institution three principles, by which the question of the expenditure of rolling stock might be tested. The first mode was that of taking the age of the stock, in other words, taking the average age of all the rolling stock in the possession of the company. The second mode was by estimating the percentage upon the prime cost of the whole of the stock; and the third, was by taking the cost per vehicle for maintenance.

With regard to the question of the age of rolling stock, or the

age that it might fairly be assumed to attain, there were many elements which entered into the calculation, and rendered it, even with the experience of thirty years, difficult to determine. Referring to the Tables, he found that the age of some of the rolling stock in a particular case, and under peculiar circumstances, was as great as twenty-seven years; but that stock did not at all afford a standard, inasmuch as from its light build its use had been entirely confined to the line for which it was originally built—the old Newcastle and Carlisle Railway: it was designed to travel at a low rate of speed, and with light trains, so that when that railway came into the possession of the North Eastern Company, by amalgamation, it was found impossible to run the stock, except upon its own particular line; and in all probability, if that railway had continued to be the separate property of the company, a large proportion of the stock would have been in existence at the present day, and would have lasted for many years to come. In calculating the age of railway stock he had found, looking minutely into the question, that the number of engines and carriages rebuilt did not arise so much from the fact of their being actually worn out, as from the necessity of replacing some engines by others of greater power and improved construction. The same remark equally applied to the case of carriages. If the first-class carriages of twenty years ago were placed upon a railway now, the public would be anything but satisfied with their comfort and convenience; and the first-class carriages of a few years ago had been by degrees, in almost all cases, converted into second, and in many cases into third class carriages. Therefore looking to the fact that railways during the last twenty years had been, not in their childhood, but in their infancy, it had become a necessity to break up a considerable number of carriages, or to alter them; and to completely remodel locomotives, and to build them of larger size to meet the demands of the traffic. It was clear therefore, taking all these circumstances into consideration, that though an opinion of what might be the average life of any description of rolling stock might be formed, when perfection as to the model was attained, it was as yet a matter of speculation. The Author said, that if the average age of all the stock did not exceed one-half of the ultimate life of that stock, justice was done in maintaining it. In the Table representing the locomotive stock (page 483), the upper column gave the ages, commencing from 1852, at which time the number of engines belonging to the company was 209. At that period the average age of the whole stock of engines was 6·81; in 1859 the average age rose to 10·62 years. It then went on to 12·33 years in 1863, and in 1864 the average was 12·75 years for the whole of the stock; therefore, assuming the life of an engine to be 25 years, it was clear, when the total stock was 12·50

years old, it was as near as possible at the point at which the stock ought to be maintained.

He now came to the Table (page 485) which gave the result of the average age of the whole of the carriage stock. This began in 1852, at 8·35 years, and went on increasing to 10·25 in 1862, 10·54, 10·07, 10·37, and 9·75 in the following years. It was clear when the Directors found they were reducing the average age of their stock, which occasionally took place, and when that average age was below one-half the amount of the ultimate age, they were maintaining their stock in a good and efficient state. But an important element in the consideration of this subject was that, in the case of all large railway companies, they were constantly adding new additional stock, and if they added 100 wagons only a year old, that fact tended to reduce the average age of their stock, and was to be considered in estimating the age of it.

The other method was by taking a percentage upon the past cost of the stock for repairs. That had always appeared to him an exceedingly sound mode of calculation. Before entering upon that point he should mention, that in building their engines during the last seven years the North Eastern Company had added about 40 per cent. to the nominal power of their locomotives, merely in breaking up old engines and rebuilding them of a much larger class.

The percentage of repairs, as shown in the Table (page 486), varied from 8·7 to 9·5, then 12, and there was one instance in which it amounted to 14, then it fell to 12. When this was spread over a long series of years, it gave a fair average and a fair criterion of what might be the expenditure. But he would call attention to this fact, though perhaps it was more remarkable in the case of wagon stock, that while in 1860, the total cost of the carriage stock was £209,163, in 1864 it was £284,835; therefore the percentage of repairs was a percentage upon a large increase of stock. As regarded the wagon stock, the cost of repairs, as shown by the Table page 489, ran at 4·76, 5, 7, 6; and spreading that over 12 years, the average in the cost of repairs was little beyond 6 per cent.; but, at the same time, it must be remembered that, though the increase of the stock appeared to be large, the whole, or nearly the whole, of that increase was the result of the amalgamation with the Carlisle Railway, and that by the end of the present year the whole would have been entirely rebuilt; therefore it was impossible not to perceive, when the columns varied during 12 years to so small an extent as these did, that the percentage on the first cost was also in itself a fair test, whether justice was being done to the stock, as regarded its maintenance.

In the Table page 486, relating to carriage-stock, it was shown that in 1852 the cost of maintenance per vehicle, on the average, was only £17 15s. 4d. In one year it rose to £27 7s. 6d., and

in other years ranged at £23 and £25, and in 1864 it was £21 5s. 11d. There was here a little more variation; but taking the question of the cost per vehicle was another fair mode of ascertaining what the total cost had been.

There was a particular class of stock referred to by the Author, viz. the chaldron coal wagons, in which the percentage of maintenance ran up as high, in some years, as 18 per cent., and in one year 19½ per cent. These wagons were peculiar to the North of England; but still the fact was patent, that upon a stock which was of inferior quality altogether, and not originally intended for the work it was afterwards put to, there was an enormous amount of percentage for maintenance, as compared with the better-constructed class of stock. On the question of whether the stock of the present day was better than that of twenty-five years ago, he did not think any one who had had to do with the maintenance of railway stock could have the slightest hesitation in concurring with the views of the Author. Not only was good care now taken to have a stock of seasoned timber, at least three years old, but the strength of every part of the carriage was now undoubtedly much greater than it was formerly. The strength of the axles, tires, axle-boxes, and bearings, was far more insisted on, as well as the quality of iron used, and these were subjects to which the attention of the carriage superintendent was specially directed; and there could be no doubt, that the comparison was greatly in favour of the stock of the present day. The question now was, what length of life might be fairly assigned to rolling stock on these assumptions, in the first place that a design was obtained from which it would not be necessary to deviate hereafter, and that it would not be necessary, with ordinary repairs, to break up any stock to remodel or improve it? He was sanguine enough to believe that the age might be calculated, with ordinary usage, at not less than thirty years. If the average life was thirty years, and the average age of the whole of the stock, as shown by one of these Tables, was only nine years, or according to other Tables, fourteen years, then the stock was maintained in its full and efficient condition. That, however, was a question on which there were no absolute data, and therefore, he thought, Tables of this nature, and facts gathered by different superintendents, if they would give them, would lead to information which might govern Boards of Directors and superintendents in advising them, upon one of the most important items of outlay which they must incur in maintaining the stock in a full state of efficiency; and on that point, he should be glad to invite information from those who were acquainted with the maintenance of stock, as to what their experience had been.

He would now come to the last part of the Paper, in which it

was stated that the average number of locomotive engines rebuilt during the last three years or four years, was such that it did not show that the stock had been maintained in its full efficiency; but the Author explained that only those engines were included as having been rebuilt, which had been absolutely and entirely remodelled. That was the case with all the engines belonging to the Newcastle and Carlisle Company, which were useless for the purposes of the present traffic. When an engine was rebuilt with cylinders of 18 inches or 20 inches in the place of 13 inches diameter, that was considered as an engine rebuilt; but if an ordinary engine was rebuilt on the old model, it had not been taken into account; and he found, on going through these figures with the Author, that there was a difficulty in knowing when to designate an engine "rebuilt;" but he believed that to add to the complete shell of the engine a boiler and fire-box entirely new, and taking into account so much more that was certain to be done in such a case, amounted to rebuilding an engine. There was one item in the Tables which perhaps required explanation, viz., that of "extraordinary repairs." It seemed to arise in cases where the repairs were carried to an unusual extent in particular cases, and he looked upon it as an attempt on the Author's part to separate the two, without perhaps having any real bearing upon the question.

Mr. HAWKSHAW, Past President, said, when an engine was set aside, and another was built in its place, he called that rebuilding an engine, and nothing short of that would be valuable in statistics of this kind: for if it was left to the locomotive superintendent to make an alteration in the cylinders or other parts, and to call that rebuilding, then it would be impossible to obtain statistics from which any useful deductions could be made. There could be no doubt as to the importance of correct statistics. It would be of great value if every railway company kept the statistics of their rolling stock in the most careful manner, and it would be still better if they would send them to this Institution, and have them recorded. But he was quite sure that, as yet, Engineers were far from possessing any statistics from which it would be safe to generalize as to the duration of a locomotive engine. The Table began by assuming that an engine might last twenty-five years. That was simply an assumption: there was nothing to lead to the conclusion that a locomotive engine would last that period, far less to lead to the supposition that it would last thirty years. Supposing better information was available than was now possessed, it must be applied to each line specially in the first place. The statistics of one line would have little or no application to the statistics of another line. It was with locomotives very much as with clothing. On one man it would be worn out in a short time, and on another it would last longer: so with a railway company

and their locomotives. On some lines carriages twenty years old were still in use, while on another railway no such thing would be found. On the latter managers were compelled to set aside antiquated vehicles long before it was necessary to do so on railways visited by less fashionable people: therefore the statistics of one railway could not be applied to the condition of another. Still it was valuable that each company should possess its own statistics, that they might know all the conditions and consequences under which they were carrying on their traffic. He had studied the statistics of one company as long as his friend Mr. Harrison had those of the North Eastern, but he had not come to any conclusion which he would venture to put forward as to the duration of locomotive engines. Then he objected to the duration of those things being measured by years: there was nothing more fallacious. The life of rails must be measured by the amount of traffic passing over them, and the duration of wheels must be calculated by the number of miles they ran: so, in measuring the duration of the carriages, it must surely be valued by the amount of the work done. Sixteen years or seventeen years ago he entered upon an investigation with a view of arriving at the duration of stock, &c., on the Lancashire and Yorkshire Railway, more particularly with regard to the life of the rails: that was soon after Captain Huish had written his Paper to show that the life of a rail was fifteen years. That was a most startling conclusion, and he set to work to investigate the subject, and he found that the duration of a rail varied from one year and a half up to twenty-five years; and so it must always be. If 10,000 wheels were run over the same rail in a year certain results of wear and tear were produced. If the same number of wheels passed over the rails in twenty years the result would be nearly the same. Still it was open to a particular railway company—for instance, the North Eastern—to say, “We work in the ordinary way with a certain number of vehicles, therefore we may come to a conclusion, that with our usual stock and with our usual mode of working, our vehicles will last so many years;” but if the North Eastern could decide that matter for themselves their conclusion would not fit every other railway. Therefore, while he should be glad to see such statistics brought forward and recorded, so that the members could refer to them, he felt it would be an erroneous thing to say at present, that a locomotive engine would last twenty-five years or thirty years. In time there would be railways carrying the old roadside traffic, perhaps at comparatively slow speeds; others would be worked at higher speeds, and under totally different circumstances; and generalizing was dangerous in the present state of information on this subject.

Mr. W. A. ADAMS said, during the last ten years or twelve

years he had been much engaged in the construction and upholding of freighters' wagons, and had had under his control as many as 6,000: therefore, with respect to this class of stock he could furnish some statistics to the Institution. The locomotive question he did not pretend to enter into; and he had not had time to investigate that of the carriage stock. The Author's carefully compiled tabular statements opened up a large question, of which the repair and replacement of stock could only form a portion, and one that could not well be treated of by itself. If the matter were examined, it would be found to be the great question of cost of rolling stock per passenger and per ton conveyed. Interest of money and proportion of dead weight to effective load must necessarily form an important element in the estimate of cost of working expenses. He proposed to confine his attention principally to the question of coal-wagon stock, upon which, he had no doubt, Mr. Harrison would be able to assist him with valuable information. It was of little use to know that a railway wagon cost a certain percentage upon its first cost for repairs and replacement; what was required to be known was the percentage of repairs and replacement for the tonnage actually conveyed. Upon referring to the Tables it would be found that the North Eastern Company had (exclusively of the chaldron wagons) the following stock:—

	Average Age.	Cost.			Total.
		£.	s.	d.	£.
504 engines .	12 $\frac{1}{2}$ years .	2,078	18	2	1,047,770
1,370 carriages .	9 $\frac{3}{4}$ „ .	207	18	2	284,835
17,429 wagons .	10 $\frac{1}{3}$ „ .	73	14	1	1,284,644
Total . . .					<u>£2,617,249</u>

He would be glad to know, whether the 8 ton coal wagons, which were stated to be built of well-seasoned materials, were hopper, or side-door wagons, whether they were buffered, whether the tires were of the best make, and whether the timber was generally well seasoned?

Mr. HARRISON replied that the wagons were buffered, had draw springs in every case, and that the Company had generally two years' or three years' stock on hand.

Mr. ADAMS having recently seen these wagons, believed he was right in saying, that their weight was about 5 tons 5 cwt. for 8 tons of load carried. From the Paper he gathered that the first cost of these wagons was £90 each. The interest of that sum at 5 per cent. would be £4 10s., and repairs and replacement at 6 $\frac{1}{2}$ per cent. would be £5 13s. 6d.; total cost of the wagon per annum, £10 3s. 6d; equal for 17 $\frac{1}{2}$ years to £178 1s. 3d.

As against these figures he would quote the experience of the Midland Wagon Company, with which he was connected. Their 8 tons coal wagon cost £60 each, and that was the type of wagon used by private coal-owners. It was a great question with him, whether it was advisable to spend a large sum in first cost, and sacrifice the interest of the money: he thought it better to have a less expensive class of wagon, and save a large sum in interest, and this remark applied equally, whether the wagon had a side door or a hopper. The hopper had the advantage in the economy of repairs. Working out the cost at £60 per wagon, the figures of the Midland Wagon Company for the first ten years per annum come out thus:—

	£.	s.	d.	£.	s.	d.	
Interest at 5 per cent. on £60 .	3	0	0				
Average of repairs	3	0	0				
Depreciation laid by	3	12	0	=	9	12	0

At the expiration of ten years there was expended an average of £13 per wagon in replacements, increasing the total cost to £73 per wagon. Thus for the following seven and a half years the figures would stand at per annum—

	£.	s.	d.	£.	s.	d.	
Interest on £73 at 5 per cent. .	3	13	0				
Average repairs	3	10	0				
Depreciation	3	12	0	=	10	15	0
or for the 17½ years					176	12	6

Deduct simple interest, calculated at yearly rests, accruing from the depreciation fund of £3 12s. per annum for 17½ years 26 3

150 8 9

which would be equal to £8 12s. per annum per wagon, as compared with £10 3s. 6d., the cost per annum of the North Eastern Company's coal wagons.

	£.	s.	d.
There would also remain, the depreciation fund, amounting to	63	8	9
And the old wagon, which, if worn out, would as scrap be worth, say 3 tons of scrap iron at £4	12	0	0
	<hr/>		
	75	8	9

Therefore at the end of the 17½ years, the Wagon Company had, from the depreciation fund for the replacement of the stock and the

value of the old materials, more than the wagons originally cost them.

But there was another grave point in the experience of the Wagon Company. The 8 ton wagons, which were the type of the freighters' wagon, weighed on the average 4 tons 5 cwt.: thus they had a wagon one ton less weight, and if that worked 100 miles per week, the Railway Company saved a draught of 100 tons per week per wagon, and that for $17\frac{1}{2}$ years was equal to 91,000 miles, and at $\frac{1}{2}d.$ per ton amounted to £189 11s. He would cite an example, which told on the question of dead weight. Some years back a coal-owner ran 1000 tons per week in through trains to London, a distance of 150 miles. The wagons weighed $3\frac{1}{2}$ tons each, and the load was $5\frac{1}{2}$ tons: therefore to carry $5\frac{1}{2}$ tons of coal 150 miles, the Railway Company conveyed 7 tons of wagon full and empty 150 miles. The charge per mile for the coal was a halfpenny per ton, or equal, per wagon, to $2\frac{3}{4}d.$ per mile, or to 0.22 of 1d. per ton per mile of gross load of coal and wagon. His advice to the owner was to get a rate from the Railway Company of 0.22 of 1d. per ton for the gross load carried, and he offered to build him wagons which should weigh 3 tons capable of carrying 10 tons of coal. The cost of the coal actually conveyed would then be only 0.35 of a 1d. per ton per mile; instead of 0.50, or equal to 1s. $10\frac{1}{2}d.$ per ton, which on 1000 tons per week amounted to no less than £4,875 per annum, for the whole quantity conveyed. That proposal was, he believed, laid before Captain Huish, but was not accepted. His connections with a French Railway Company had gained him considerable experience in French railway rolling stock matters; he found that the proportion of dead weight, as compared with useful weight, was something very different from what it was in this country. In the 8 ton wagons in use on the Western Railway of France, the sole bars and headstocks were 4 inches by $9\frac{1}{2}$ inches, while the practice of the Midland Wagon Company was to have them 5 inches by 12 inches, and the remainder of the wagon in both cases was in proportion. In all their vehicles they considered the proportion of dead weight to paying weight carried. He thought valuable knowledge would be gained if tables were prepared showing the cost of wagons and carriages per ton and per passenger conveyed. On that point, he was sure, railway managers would be glad to receive information.

Mr. J. GIBSON remarked, that though these Tables contained much valuable information, they were hardly full enough in details: other columns of results were wanting to make them more serviceable to the Institution. In the statement of the locomotive stock were shown the total cost, the numbers, and the average ages. The figures as to cost were so large that the average cost of
[1864-65. n.s.]

the engines was required, the better to comprehend the quantity, and then the deductions, or in other words the results, would be more fully appreciated. In that Table, the cost of repairs was stated as a percentage upon the first cost, which appeared to go on from year to year regularly and evenly; and he found also, in calculating the average cost of the engines, it was far more uniform than would have been expected, looking at the changes which had been made in locomotive engines of late years, for it began at £1,941 on the average, and left off at £2,078 in the last year. Then, while the average age was 6.81 years, the cost per train mile, for repairs, was stated to be 3.34*d*. The cost was higher as it stood in the Table, when the engine was young, inasmuch as the average cost of repairs of the whole locomotive stock fell in the last year, 1864, to 2.63*d*. per train mile when the average age was 12½ years. The Table of mileages somewhat explained that fact, as, at the later period, there was a little more mileage got out of the engines on an average than at the earlier period; while the average cost of repairs per engine remained about the same. It seemed an anomaly, that while the engines were young, the cost of repairs was comparatively high, and that when they were 12½ years old, and doing harder work, the cost of repairs per mile was considerably reduced. There was a column of "extraordinary repairs," which he did not understand, but perhaps it could be explained.

There seemed to be a desideratum in these Tables, that there should be a measure of the work performed, either in gross load or net work—something to convey to the mind whether the figures of the cost of maintenance were economical or the reverse. On the subject of engines, he would remark that he saw nothing in these Tables to lead to the conclusion, that the life of a locomotive engine might be calculated at twenty-five years. It was an assumption without the demonstration of figures, and it was a matter on which there might be great diversity of opinion. He thought there might be circumstances which would entirely put aside any calculations on this subject on which to base an average. The stock of a railway might be doubled within a few years, and the older part of it, though the age might come within the proposed limit, might not all be done justice to; so that, time was not the proper criterion to indicate the state or condition of the stock.

Passing from the engine to the carriage stock, he thought the Table of ages was too general to be of much practical use. In cases where the relative proportions of the different classes of the carriage stock remained much the same, an approximate result might be obtained from year to year; but for general use and for comparison he thought a more detailed statement of the results in each class of the stock was wanted; for instance, by taking first, second,

and third classes by themselves, and showing a rate for each per passenger train mile rate. A vague idea might be obtained from these figures, but the passenger train stock was so various, and the proportionate number of each class of vehicles in a train so differed on different railways, that it was not a good measure for general application. Then with regard to the average cost of the vehicles. It began in 1852 at £186, and went on increasing to £207 in 1864. Whether that difference arose from an alteration in proportions of the classes, or from the introduction of superior carriages of a particular class, there were no means of judging. The percentage of 11·26 on the cost price for the maintenance of that stock was, he thought, rather a high one; 7·95 or 8·00 was about the average of the Great Western carriage stock. Taking goods and passenger trains together, the percentage of repairs on cost price was, on the North Eastern 7·75, and on the Great Western 7·52.

With regard to the wagon stock, it seemed to have increased in price considerably, from the first year down to the last. In the first year the average cost was £53 per wagon, and in the last £74. That was a large increase, and whether it arose from the introduction of a superior class of stock, or from a rise of price in the market, there was nothing to explain why the price should have gone up in twelve years from £53 to £74; and with a large wagon stock like that of the North Eastern, this Table might be usefully subdivided, so as to give more practical results than could be gained by aggregating them. Then there was the question, whether these figures of cost included the wagon sheets, as was the case in the accounts of some companies.

Another Table of useful particulars would be afforded by setting forth such repairs as were incurred by damages from accidents and from collisions. Those were matters over which the superintendent of the department had no control, and in case of any extraordinary excess of repairs, the damage from accidents might be brought forward in extenuation, or in explanation so far, of such excess. In conclusion he would say, it was essential that the measure of the capacity of the coal wagons should be stated, since it was impossible to compare the results on this railway with those on any other, apart from the knowledge of the respective capacity of the wagons.

Mr. G. P. BIDDER, Past-President, said, he desired to commence the few observations he had to make by paying a tribute of praise to the Author for compiling any Tables at all. They were not perfect Tables, but certainly they were the best the Institution had ever had, and they had led to a discussion of the greatest importance, one which ought to have been entered upon long since, and that was, on the actual cost and maintenance of railway rolling stock.

It was a subject of vital importance in any question regarding railway politics; it would become of still more vital importance in respect of that Commission which was now established, for the consideration of what might be the government operation upon railways in this country. It was true that there were some points in the Paper with which he did not entirely agree, and that the Tables were not so explicit and full as he could wish, or sufficiently demonstrative, and he hoped (for it would be a most gratifying result) that these were only the forerunners of more satisfactory Tables; but they were, he repeated, the best that had yet appeared, and they had laid a foundation for considerations of the highest importance in regard to railways. Therefore in any remarks in which he might venture to differ, in some respects, from the results of the Author, he did so with the most perfect respect, and with great gratitude for the information which had been submitted in so unpretentious a manner.

The discussion was one which ought not to be entered upon in a dogmatical spirit, nor with the conviction that the question was incapable of solution. This, like many other problems, was one in which it would be wrong to predicate the result of any particular fact; so large a question required large averages, just as in the case of life and fire assurance. There was no one single fact that ever came actually right, there was no one single life which had been insured, or any annuity which had been granted, that came true to the calculated tables. Nevertheless, by taking large averages, the result always justified the calculations, when they were based upon the satisfactory data of experience. Although Mr. Bidder might point out what occurred to him as the approximate results to which, as far as he could judge, or so far as his experience pointed, he begged at once to say that, however strongly he might express himself, he did it, not in a dogmatic spirit, but solely with the intention to invite discussion, and because he believed, if this matter was pursued honestly, and with a sincere desire to elucidate the truth, it could be brought within simple and manageable data.

He had had occasion (in regard to the economy with which raw produce—coal for instance—could be conveyed) to ascertain specially the cost at which railways could be worked. He had taken a great deal of pains, and had analyzed the Board of Trade returns, and all he could say was, that those who entered upon that investigation would find it sufficiently complicated. It would be an easy matter if these returns were made out upon one basis and one system, but they were not; and they required a tedious analysis to know in what way they were based. Some gave the mileage of trains run empty; some gave the mileage of trains full and empty; while some gave the mileage including shunting

and piloting; and with regard to the Tables of the Author, he gave the mileage run by the engines, but did not say whether when running empty, or full, or including shunting,—a work on a system like the North Eastern, in the collection of coals from various collieries, which must be exceptionally large. Mr. Harrison had stated that this was the gross mileage, and therefore it was not complete unless it was known how much of that was due to trains actually earning money; for a train which was carrying a full load of coals to a station and returning empty, was not earning money both ways, and the results should be divided by 2; therefore these Tables, truthful, accurate, as no doubt they were, did not contain sufficient details, but were the means of directing attention to normal results which were well deserving of careful consideration.

In the year 1849, as Engineer of the North Staffordshire Railway, Mr. Bidder ventured to attempt to do that which he was told he could not do, that was, to make a contract for the maintenance and working of the rolling stock of that railway. He prepared a specification which was put up to public tender, and for which a variety of tenders were sent in,—that of Messrs. Wright being accepted. It worked for ten years, and at the end of that period it was wound up without difficulty or altercation, but Messrs. Wright did not desire to continue the contract. That contract he proposed because he believed it was based upon sound data; one main principle applied to it being, the maintenance and repairing of the locomotive stock. Even at that time, in 1849, though a great advance had been made in locomotive engines, they were not of that power, and of that perfection of proportion and workmanship, which were characteristic of the machine at the present day; but he estimated the life of a locomotive engine not by measure chronologically, but by the measure of the miles it travelled: he had put that measure at 300,000 miles, and the renewals and current repairs at $1\frac{1}{2}$ d. per mile: he had put that figure advisedly a little above what would be the actual amount, in order to represent the cost of an engine of £1,875. The result of that contract was this—that he had said, when it expired, Messrs. Wright did not desire to continue it; and yesterday (it was six years since the contract lapsed) he ventured to ask Mr. Wright to explain the real facts, the result of that contract: “Well,” he said, “for the first few years we were out of pocket; but as the traffic of the line increased it recouped us our loss, but still left us with so little margin of profit, that considering the responsibility involved, we did not think it desirable to continue it.” Now that contract was designed advisedly with the intention that when the traffic was small, the payment should be small; and

when the traffic increased, and the company was more prosperous, it could afford a larger margin of profit to the contractors. It so happened, that in its early years the North Staffordshire had a sparse traffic, and the contractors were out of pocket; but towards the end of the contract the loads increased and they were recouped; therefore, compatibly with the nature of the stock, that contract had tolerably approximated the actual cost of repairing and maintaining the rolling stock: and though it was felt, that a contract for maintaining rolling stock involved so many considerations that it was always despaired of, yet that contract was carried out. Mr. Bidder was not laying down any general rule, because the repairs of the rolling stock of a line like the Metropolitan, earning £30,000 per mile per annum, could not properly be compared with a railway in a remote rural district, or a branch line, earning only £300 per mile. It would not apply; therefore he was doing no more than laying down what appeared to him to be the results to which experience pointed, as applied to large systems; and those systems, even, were to be discriminated. The London and North Western being a mineral line, the Great Western becoming a mineral line, the Midland, perhaps the most important mineral line of all; next to that was the North Eastern; then the Great Northern, and then the Great Eastern. But there was one circumstance which this investigation had served to show; viz., that there was an absolute relationship between the revenue, the mileage, and the cost of the rolling stock. Now, he believed, it would be found very nearly that the working value of the rolling stock of any railway would be represented by the gross annual revenue; in other words, if a railway was earning a million a year the value of the rolling stock should be one million; and there was this fact also;—that the earnings of the trains, eliminating pilotage and shunting (but the earnings of the trains in practical operation approached 5s. per mile), varied from 5s. 3d. to 4s. 3d. and 4s. 2d., as upon a mineral line where the working expenses were correspondingly less. This result would also be found, that the cost of the locomotive stock and the cost of the carriage and wagon stock were as near as possible the same; that was, when a million of revenue had to be earned, composed of passenger traffic, goods traffic, and mineral traffic, there would be a million's worth of rolling stock—half of that amount being represented by locomotives, and half by carriages and wagons; and that, taking the earnings at 5s. per mile, this result would be arrived at:—that every locomotive engine ought to earn £5,000 per annum, and that the carriage stock should also earn £5,000 per annum. Some of the figures were taken from the Board of Trade returns, but he would take the returns given by the Author from his Tables. The value of

the locomotive stock was found to be £1,033,000; and that of the carriage and wagon stock, £1,567,000; *i. e.* in round numbers, £2,600,000, including the Stockton and Darlington stock; and that with the Hartlepool stock, about half a million, would make a total of £3,100,000. Mr. Harrison would admit that that was nearly the amount of the gross income of the North Eastern Railway. Then there was the Great Eastern. Last year the trains ran 6,480,000 miles: that was actual train miles, not including shunting and piloting, but actual train mileage; the receipts were £1,638,000; but that stock and mileage included the working of the Tilbury and Southend, the Lynn and Hunstanton, and the Ware, Hodham, and Buntingford lines, bringing up the receipts to £1,700,000. 6,400,000 at 5s. per mile, was £1,620,000, and that was the present working value of the Great Eastern stock, approximately. He had also seen what the repairs were compared with the North Eastern. The actual expenditure on the former in current repairs was £61,000 for locomotives, and £58,000 for carriages and wagons; and this inference was to be drawn from that which ran through all experience—that the current repairs of engine, and carriage and wagon rolling stock were always nearly the same in amount per annum. It was so accidentally. No man could predicate that from any *à priori* considerations, but it was the result of experience, and that being so, it was an important fact to bear in mind in the consideration of this important question. The total of these current repairs amounted to £119,000. Mr. Sinclair and himself, some three years ago, conferred together to know what would be the amount, in addition to that which ought to be deducted from revenue, to uphold the rolling stock in its original value, and it was found to amount to £25,000 per annum for locomotives and £29,000 per annum for carriages and wagons, making an aggregate of £173,000 a year. Now when that result was compared with the experience of the Author, instead of £173,000 it should have been £145,000; there was a disparity of £28,000 between actual expenditure and that which would have been, if corresponding with the results established by the Author's Tables. No doubt the North Eastern Railway had advantages in regard to wages, advantages also in regard to cost of fuel, as also in regard to that of iron; but those probably did not represent, to the whole extent, the £28,000 per annum. Probably—though it was mere conjecture—about half that amount would be the fair proportion, and therefore there was ground for thinking, that the Author was charging his stock with too little maintenance. In the Paper it was stated that there were 504 engines in 1864; that these engines ran 12,000,000 miles; or 24,000 miles per annum for each engine: that was a large performance, for, according to ordinary expe-

rience, the performance of an engine was not more than 20,000 miles per annum; therefore it was probable that these engines might have been overlooked, and that some part of the discrepancy might be attributed to that cause. Then a sum of £29,000 was placed to the account for carriages, and £91,000 a year for wagon stock, making a total of £246,000 a year as the expenditure of maintenance, and for upholding the locomotives, carriages, and wagons; and that amounted upon the mileage to a small fraction under 5*d.* per ton; while the actual expenditure of the Great Eastern upon 6,480,000 miles was £173,000, or about 6¼*d.* per ton: part of that was, no doubt, to be attributed to the fund set aside for renewals.

That question required a moment's examination. In 1849, he considered that the life of an engine was measured by 300,000 miles; that was to say, after paying for repairs that was what it amounted to; it was equivalent to having a life assurance on the engine, which expired at 300,000 miles; the premium upon that assurance might be put at 1½*d.* per mile, which was undoubtedly high; but the contractor who provided rolling stock was obliged to pay into the company an equivalent, and he could only withdraw it by putting a locomotive upon the line; therefore it was to his interest to do so, and to maintain the rolling stock in the highest degree of efficiency.

The life of a locomotive engine might now certainly be estimated at more than 400,000 miles, and that at the expiration of its life—because as long as it was in use it was supposed to be capable of running,—was worth something. If the price of an engine was £3,000 (not an excessive sum for the power now developed, the prices ranging from £2,700 to £3,500), £2,000 of £3,000 ought to be set aside, to be appropriated as renewal: when incapable of further duty, its value would represent 1¼*d.* per mile: that was a safe estimate, and less would not be safe: it was certainly less than the amount set aside by the Author, because 1¼*d.* per mile upon his mileage would be £62,000 per annum, whereas the amount he had set aside for locomotives was £126,000. That was a fair question for discussion, and it was to be hoped he was right, because the more cheaply a line could be worked, the better it was for those who made and had the maintaining of railways.

There was another question not alluded to in the Paper, which Mr. Bidder hoped would be treated of in the next session, viz., railway accounts, because the great object of the Paper was to enable railway companies in their annual, or half-yearly accounts, to set aside that fair and proper amount which should serve to keep up their estate; *i. e.*, that revenue should be so represented by stock, or money, that at the end of the year the rolling stock should represent its value at the beginning of the year. But there was

another part of the estate which had also to be maintained—the permanent way, which consisted of two or three materials, each subject to different laws—the ballast, the sleepers, and the rails. The ballast, as all were aware, gradually became attenuated by attrition, but that was always met by replacement out of revenue, with more, or better ballast. Then there were the sleepers, which, whether trains ran over them, or not, were always in process of natural decay. There had been various ingenious inventions for prolonging the life of sleepers: there was Kyanizing, which was a perfect process when honestly applied; there was Burnetizing, also effective for the purpose when properly applied; and there was also creosoting. The life of sleepers had been variously estimated. Mr. Sinclair, of the Great Eastern, calculated it at twenty years for good sleepers well prepared, and these were always replaced half-yearly out of revenue. Then come the rails, and, with regard to them, to a great extent the question of natural decay might be put aside. No doubt if a train never passed over the rails there would be rust, and probably greater absolute waste than with use: the rust would act more severely on them than actual attrition from the wheels of trains, in the course of ordinary traffic. But in practice that was not the case which had to be dealt with, but rails in moderate use; and after discussing that question with Mr. Sinclair, the result arrived at was, that $\frac{2}{5}$ ths of a penny per train per mile would represent the absolute wear upon the rails; or, that in about twenty-five years the rails would have to be renewed. Then there remained, not a material like sleepers, which was utterly valueless, but, out of a rail originally 75 lbs. to the yard, there were 70 lbs. of material left, and the only cost was that of replacing it, or re-rolling it; and Mr. Sinclair agreed with him that the proper amount for replacement of rails represented $\frac{2}{5}$ ths of a penny per train mile.

Mr. Bidder had thrown out these observations, not with a desire that they should be accepted as conclusive, but as pointing out results which he believed, whether they established those he had mentioned or not, would, if these things were once founded on clear, indisputable data, prove that if the gross revenue of a railway was a million per annum on large systems, the value of the rolling stock would be, approximately, a million of money: its maintenance would be found to be something like £100,000 a year, or 10 per cent.; the earnings of the trains would be something like 5s. per mile; the earnings of the locomotives would be £5,000 per annum; the amount to be set aside for the reparation of the rails would be $\frac{2}{5}$ ths of a penny per train mile. The Institution was not asked to accept these data as conclusive; but if these Tables were carefully followed up, and if other gentlemen would give the profession the benefit of their

experience, he believed it would be practicable to arrive at some clear and conclusive data which on general questions would be safe guides.

In conclusion, he might mention, to show how various were the results in the accounts of railways, that Mr. Craig, the most experienced man, perhaps, in this country as regarded the valuation of railway stock of every kind, had furnished him with the following Table:—

AVERAGE COST of maintaining Engines, Carriages, and Wagon Stock, on the following Railways, viz.—

RAILWAYS.	Cost of Repairs of Engines per Train Mile.	Cost per Carriage per Annum.			Cost per Wagon per Annum.		
	d.	£.	s.	d.	£.	s.	d.
East Lancashire Railway, 1857	2·73	20	19	2½	4	2	6½
Lancashire and Yorkshire Railway, 1857 .	2·35	15	12	1	3	10	0
Glasgow and South Western Railway, 1857	2·6	..	..	..	..	..	..
Scottish Central Railway, 1857 ^a	2·35	12	14	0	5	8	4
London and North Western, Southern division	..	23	7	0	6	18	10
Birkenhead, Lancashire, and Cheshire Junction, as taken from their published accounts	..	14	0	0	2	5	4
Manchester, Sheffield, and Lincolnshire Railway, average cost for five years, ending June, 1858	2·97	20	8	0	3	18	2
Ditto ditto per Engine per annum, for repairs for five years, ending June, 1858 .	£. s. 245 19						

^a Mr. Allan, of the Scottish Central, states that £5 8s. 4d. is nearly double their usual average.

It showed, that the East Lancashire Company in 1857 set aside 2¾d. per train mile as the cost of the engine, £21 for the carriages, and £4 2s. 6d. for the wagon stock; but on the Lancashire and Yorkshire, instead of 2¾d. the cost was 2·35 for engines; instead of £21 it was £15 12s. for carriages; and instead of £4 2s. 6d., it was £3 10s. for wagons. The Glasgow and South Western had 2½d. for engines; the Scottish Central 2¾d., £12 14s. for carriages, and £5 8s. 4d. for wagons; while the London and North Western had £23 7s. for carriages and £6 18s. 10d. for wagons—evidently a large amount.

There were anomalies in this Table which he was quite certain it would be easy to reconcile; but the great question was, how much should be set aside for renewals; and even that quantity

depended upon this—how much more thoroughly the current repairs were entered upon by one company than by another. They might defer current repairs: they might defer painting and reparation of tubes and various other matters, and throw them at last into renewals. Therefore it was necessary to take the whole question. He believed Mr. Gibson would tell him, in regard to renewals of locomotive stock, that the Great Western had this advantage—they had unusually large engines with unusually large boiler and fire-box capacity: the consequence had been, there had not been the necessity of firing so intensely as in engines of smaller relative capacity; and it was established that in locomotives, or in marine boilers, the less the intensity of firing, the longer would be the life of the boiler. These were all questions of importance which should be discussed, and these few remarks were thrown out in order that when this question was discussed again, data should be provided on which to lay down certain reliable principles.

Mr. Bidder mentioned, that M. Talabot, a French Engineer connected with railways on the Continent to a greater extent, probably, than any other man, had communicated to the Hon. Secretary, Mr. Charles Manby, the fact that the average life of a French locomotive engine was only about 250,000 miles, while Mr. Bidder estimated the life of an English locomotive engine at 450,000 miles.

Mr. T. E. HARRISON, in reply, said, he thought (though he had not the exact figures with him) that the wages of fitters, and workmen generally, in the North of England, were at least 15 per cent. lower than the wages paid in and near London. That no doubt accounted for a large proportion of the difference of cost between the North Eastern and the Great Eastern. It had been justly said that these Tables would not be found perfect. He should be exceedingly glad if Mr. Bidder, or any other member, would prepare a form of Table embodying the additional information suggested, which would be not only applicable for his purposes, but applicable also for all those who chose to use them; and he was quite satisfied that there was not the most minute detail which had been suggested as necessary to complete these Tables, which did not exist in the documents belonging to the company.

Reference had been made to the slightly increasing value of the locomotive stock. The peculiarity of the Tables as to the value of the stock, not only locomotive but carriage and wagon, was this—that a number of the engines marked as being in existence now were made in the year 1834. That was going back to a period when £800 or £850 was considered a large sum to pay for a locomotive engine; and those sums, which were the first cost, had remained in the stock-book of the company as their value up to this day, though many of them had been replaced out of revenue,

by engines which cost £3,500 : therefore the average prime cost of the locomotives was undoubtedly there shown below what the original cost would have been if built as they now existed. The same general remark applied also to the other classes of stock. The total mileage of the engines was between 24,000 miles and 25,000 miles per engine per annum. He agreed that that was above the average, as he had always calculated the average work of an engine at not more than 20,000 miles ; but he believed the stock, in proportion to the number of engines in steam daily, was somewhat below the average of other companies ; and from the great pressure of business, and the demand upon the engines, it had not been an unusual thing, during the last three years or four years, for some of the engines to be worked with double sets of men. Of course that was not an economical mode of working ; but when fifty additional engines were wanted, every locomotive manufacturer was so full of orders, that instead of getting them in six months, it was necessary to wait two years, and in the mean time the stock on hand had to be worked at a disadvantage.

With regard to the fire-boxes, on the last 183 replaced, the average mileage run by engines was on 150,000 miles : out of 155 sets of tires the average mileage run was 90,000 miles : out of the last 635 crank-axles the average mileage was only 102,000 miles, the life of some of the crank-axles being less in places where there were sharp curves. The difficulty of estimating the period of life of an engine arose from the circumstance of the repairs of these essential features of an engine occurring more rapidly than in other portions of the engines. Taking boilers as a test, he found the average had been 330,000 train miles to 340,000 train miles as the life of the boiler. During the first twelve years after an engine was run, the average expenditure for the items mentioned above amounted to £2,500 per engine, and when an engine had got its new boiler, it was, for all practical purposes, quite as good as a new engine ; but it was not considered in this Table that, when an engine was so rebuilt, it was a new engine, but only when a new engine was built to replace an engine of an old-fashioned form. If he might judge from the statement made by Mr. W. A. Adams of the amount he laid by for depreciation and repairs on his wagons costing £60, and receiving about £10 a year as the rental, these wagons must be exceedingly profitable. If from the time a wagon was put upon the line it cost for ordinary repairs £3 per wagon, it was a result opposed to all experience. As to the larger class of 8-ton wagons, the cost was £90 ; but there was this peculiarity in the North Eastern district, that from the fact of having these chaldron wagons, not only were the coal but the goods wagons necessarily fitted with extra buffers, and that added not only to the weight but also to the cost. There

were very steep inclines to work, and double brakes and brake-handles were required on both sides of the wagons, which involved an additional cost of £6 per wagon; and though this might be considered a refinement of expenditure, yet in a case where there was a risk of a large amount of breakage, he apprehended it was justifiable to apply it to that particular class of stock. Deducting, then, these items of extra construction, it would bring the cost down from £90 to about £74 15s., as compared with the wagons at £60.

Having looked carefully into this question, he was satisfied that there was no more important point in the construction of this stock than using well-seasoned timber. The Tables showed in regard to one particular class of wagons, that the number had been diminished from 300 to about 200: that was, 100 had been rebuilt, and those wagons were only about eleven years old, and there were 100 more of the same wagons now coming in for rebuilding. They were built by contract, and were required for an emergency, and having been made of unseasoned timber they lasted but a comparatively short time. He hoped he might be allowed to convey to the Author the opinion of the Institution as expressed by Mr. Bidder, that the Tables had afforded some data for the future; and he trusted that next session more perfect Tables would be presented, as he was satisfied that any information based upon sound data would be held to be of great value by railway shareholders generally.

May 23, 1865.

JOHN FOWLER, Vice-President,
in the Chair.

The discussion upon the Paper, No. 1,132, "On the Maintenance of Railway Rolling Stock," was continued throughout the evening, to the exclusion of any other subject.

The following Candidates were balloted for, and duly elected:—
THOMAS NESHAM KIRKHAM, WOODFORD PILKINGTON, and CHARLES ROBERT SWYER, as Members; ALEXANDER AIRD, JOHN BARTON, JAMES BROADBRIDGE, WILLIAM ALEXANDER BRUNTON, WILLIAM CAWKWELL, DAVID COGAN, WILLIAM HARKER, CHARLES HASLETT, SAMUEL FURNESS HOLMES, JAMES LEMON, EDMUND MOREL, EDMUND ALFRED PONTIFEX, ASTLEY PASTON PRICE, Ph.D., HENRY SADLEIR RIDINGS, GEORGE NAYLOR VICKERS, FRANCIS WILLIAM WEBB, EDWARD ROMILLY WILLIS, and ISAAC WILSON, as Associates.