McLuckie and Kandasamy, with Sayers

ISBN 978-0-7277-6137-8

<https://doi.org/10.1680/smfr.61378.229>

ICE Publishing: All rights reserved

Index

- ability (capability) to manage risk, 111–112, 121–122
- acceptability of risk, 94–96
- adaptability to changing conditions (incl. climate change), 130
- aerial photography, 68, 212
- affordability, 128
- aftermath *see* post-event/post-flooding
- aged (elderly; older people)
 - care facilities, 137, 141, 159
 - evacuation, 88
- agriculture (farming)
 - benefits of flooding, 17
 - vulnerabilities, 138
- analysis of risk, xxviii, 7, 94
- annual exceedance probability (AEP), xxv, 5, 7, 74, 77–78, 86, 93, 97, 99, 101, 107, 116
- attitude (community) *see* communities
- Australasian Inter-Service Incident Management System, 203
- Australia
 - construction of buildings in hazard areas, 176
 - evacuation difficulties, 200–201
 - flood constraint considerations, 141–142
 - insurance, 210
 - lessons learned, 211
 - National Strategy for Disaster Resilience*, 21, 24, 34, 42
 - NGOs, 42
 - see also specific states and places*
- Australian height datum, xxv
- Australian Rainfall and Runoff: A Guide to Flood Estimation*, 74
- automobiles *see* cars
- average annual damage (AAD), xxv
- average recurrence interval (ARI), xxv, 5
- avoidance *see* prevention and avoidance
- awareness (flood), xxvi, 205
 - community, 41, 121, 190, 205
- barriers
 - permanent *see* levees
 - temporary, 114, 180–181
- basins, 184
 - detention, 114, 120, 184
 - retarding, 115, 184
- behaviour (flood), 65–78, 168–170
 - certainty in *see* certainty; uncertainty
 - examination/analysis/assessment, 66, 117
 - post-event, 213–214
 - factors influencing/impacting on, 3–4, 160–161
 - climate change and, 74–75, 163
 - information, 66, 166, 168–170, 175, 176, 181
 - models *see* modelling
 - in multi-criteria assessment, 129
 - understanding, 3–4, 65–78
 - of range of behaviour and how it can change, 16–17, 65, 70, 77–78

- berms, 10
- Brisbane, 83
- Bristol, 83
- brownfield development, 103, 151
- build back better, 21
- buildings, 176–177
 - controls, 156, 174, 177
 - design, 176
 - floor levels *see* floor levels
 - high-level responsibilities, 38
 - individual responsibility (in community), 41
 - information, 70
 - local-level responsibilities, 40
 - vulnerabilities, 137–138
 - see also* properties
- Bureau of Meteorology, 192
- calibration of hydraulic and hydrological models, 73
- capability (ability) to manage risk, 111–112, 121–122
- cars (and other vehicles), 82
 - parking, 177
- catchment area (upstream), xxv, 69
 - changes within, 9–10
 - dams and, 183
 - flooding, xxv, 3, 9, 115
 - information, 69
 - time to respond and, 85–86
- certainty in flood behaviour and threat and decision-making
 - improving, 202
 - lack of *see* uncertainty
- channel improvements, 112, 119, 182–183
- climate change, 9, 17, 74–75, 107, 122–127, 158, 161
 - adaptability to, 130
 - considering change risk due to, 122–127
 - direction setting and, 152–153
 - flood behaviour and, 74–75, 163
 - land-use planning and, 135, 158
- coasts
 - inundation, xxv, 3, 136, 149
 - lakes *see* lakes
 - rivers, 95
- commercial properties
 - emergency plans, 191
 - vulnerabilities, 138
- communications, 61, 178, 192
 - flood warnings, 193
 - see also* dissemination
- communities, 13–31, 45, 62–63, 96–107
 - attitudes, 130
 - to risk, 19
 - awareness, 41, 121, 190, 205
 - capturing information on impact, 213
 - consequences of flood, 79, 92
 - decisions in *see* decisions
 - education, 38, 40, 59, 61, 124, 164, 204–205
 - emergency management/response plans, 15–16, 61, 121, 143, 190
 - existing, 6, 12, 18, 19, 96–101, 109, 111–112, 113–134
 - climate change impact on risk to, 107
 - demands for growth, 150
 - limiting impact of new development on, 174–175
 - limiting impact on the emergency response of, 152
 - with management measures in place, 99–101
 - managing risk to, 18, 113–134
 - understanding the community, 150
 - understanding risk to, 18, 96–101, 117
 - without management measures in place, 97–99
- expectations, 130, 214
- growth
 - directions, 135, 150–153
 - understanding the demands for, 150
 - understanding risk changes due to, 101–107
- guidance on actions to take to response to threat, 86

- individuals in *see* individuals
- information gathering from, 62
- information for or shared with, 41, 54, 145–146, 199
- infrastructure, 165, 177–178
 - capturing information on impact, 213
 - key, 160
 - repairing or replacing, 209
 - role of providers, 42–43
- links and interactions with other
 - levels/sectors, 45, 53, 62–63
- links within, 44
- managing risk *see* management
- mitigation measures, 179
- new, 6, 159
- recovery *see* recovery
- resilience *see* resilience
- services and facilities, 148, 149, 162, 165
 - hospitals, in emergency response, 96, 137, 145, 159, 160, 161, 162–163
 - utility services, 178
- studies for, 70–75
 - on exposure to flooding, 69
- vulnerability *see* vulnerability
- concrete-lined channels, 182–183
- consequences, xxv, 6–7, 79–92
 - in multi-criteria assessment, 127–130
- see also* impacts
- constraints (flood-related), 136, 139–149, 168–170
 - flood planning constraint categories (FPCC1-4), 141–149, 152–153, 154, 161, 162, 174
 - developing, 141–149
 - in multi-criteria assessment, physical and technical, 129
 - understanding and mapping, 139–142
- construction
 - of buildings
 - in hazard areas in Australia, 176
 - individual responsibility, 41
 - of controls, 136
 - see also* reconstruction
- continuous improvement, 19–20
- controls
 - buildings, 156, 174, 177
 - constructed, 136
 - developments, 10, 96, 104, 105, 134, 141, 152, 155, 156, 159, 174–177
 - land-use planning, 160–161, 215
 - natural, 136
- Cornwall Council, 27
- cost(s), economic, 79, 89–91
 - insurance, 41, 210
 - life-cycle, xxvii, 59, 119, 122
 - in option assessment, 119
 - in multi-criteria assessment, 127
 - with existing management measures in place, 99
 - with no management measures in place, 97, 99, 133
 - see also* affordability; financial efficiency
- cost–benefit analysis, 128
- dam(s), 114, 183
- damage/damages (flood), xxvi
 - average annual (AAD), xxv
 - lessons learned, 213
 - tangible and intangible, 89–91
 - see also* insurance
- data
 - collection (capturing information), 23, 193–194
 - after flood, 68, 211–213
 - behaviour of floods, 66–70
 - during flood, 68, 211–213
 - in floodplain-specific management process, 57
 - high-level *see* higher level
 - individuals in community, 41, 42
 - local-level *see* local and regional level
 - reporting on, 70

- studies *see* studies
- warning systems and, 193
- sharing *see* sharing
- transfer and communications systems, 193
- utility, 172, 173
- see also* information
- deaths (fatalities), 80–82, 201
- decisions (and decision-making in risk management), 171, 204
- certainty in flood behaviour and *see* certainty; uncertainty
- community-scale/local level, 15
- individuals in community, 41
- information required for, 173
 - access to, 17–18
- to place development or infrastructure within floodplain, 18–19
- risk influenced by, 10–12
- scoring system to inform, 131
- defined flood event (DFE), xxv, 74–75, 95, 103–104, 105, 111, 112, 136, 140, 141, 142
- decision-making and, 164
- flood planning constraint categories and, 142, 143, 144, 145, 146, 147, 148
- new developments and, 176
- selection for general local development standards, 158–160
- demographic information, 70
- Department for Environment, Food and Rural Affairs (DEFRA), 46, 84, 85
- depth and velocity, hazardous combinations of, 84–85
- design
 - building, 176
 - site, 176
- design flood, xxv, 6, 16, 99, 116, 169
- behaviour, deriving, 74
- design height of structure in multi-criteria assessment, 129
- desired change and state (in risk management framework), 48, 56
- detention basins, 114, 120, 184
- developments, xxvi
 - brownfield, 103, 151
 - changes in degree or type of, 9
 - controls, 10, 96, 104, 105, 134, 141, 152, 155, 156, 159, 174–177
 - NSW development control plan, 154
 - flood behaviour and the cumulative impact of, 160–161
 - greenfield, 103, 151
 - location *see* location
 - new, 6, 12, 111–112, 151, 160–161, 174–175
 - assessing cumulative impacts of, 75
 - decisions to place them within floodplain, 18–19
 - land-use planning and, 160–161
 - limiting impacts on, and its users, 175–176
 - limiting impacts on existing community of, 174–175
 - managing risk to and resulting from, 134–161
 - understanding risk changes due to, 101, 103, 104–105, 107
 - potential future, assessing cumulative impacts of, 59
 - relocation, 115, 156, 186
 - standards *see* standards
- direction (strategic), establishing/setting, 24–27
 - community growth, 135, 150–153
 - higher-level government, 35–39
 - local authority, 53
- dissemination of warning information, 194, 196
- drainage systems, 179, 182
 - see also* internal drainage boards
- dry flood-proofing, 186
- Dungog (NSW), 77–78, 211
- economics *see* cost; financial efficiency
- education, community, 38, 40, 59, 61, 124, 164, 204–205
- effective warning time, xxvi, 26, 181, 202

- elderly *see* aged
 emergency co-ordination headquarters, 200
 emergency evacuation centres, 200, 207
 emergency management, xxvi, 52, 197–204
 high-level responsibilities, 38, 39
 local-level responsibilities, 40, 45, 54
 non-government sector, 43
 planning *see* planning
 in various management approaches, 52
 Emergency Management Victoria, 22
 emergency response, 144, 155
 constraints relating to, 143, 144
 facilities, 96, 138, 144
 hospitals in, 96, 137, 145, 159, 160, 161, 162–163
 isolated and elevated, 144, 149
 isolated and submerged, 143, 148
 limiting impact on existing community, 152
 planning *see* planning
 risk to people in, in events up to extreme events, 161
 emotional impact, 83
 end uses and users (end audience), 72, 167
 identifying end users, 15, 71
 individuals as end-users, 15, 172
 needs of end-users
 to access information, 167, 171, 172, 173
 hydraulic and hydrological models and, 73
 identifying, 71
 scoping and, 72
 varying end uses, 15–16
 environment, impact on/consequences for, 79, 91, 128–129
 beneficial, 17, 91
 with existing management measures in place, 99
 in multi-criteria assessment, 128–129
 with no management measures in place, 97, 99
 Environment Agency (UK), 56
 evacuation, 19, 152, 155, 170, 200–203
 emergency evacuation centres, 200, 207
 limitations/difficulties, 86–88, 200–203
 logistics, 202
 raising buildings and properties versus, 185
 routes, 14, 16, 19, 20, 60, 70, 78, 80, 86–88
 cut-off, 20, 71, 86, 87, 88, 96, 121, 167, 198, 203
 improvement, 115, 202–203
 vulnerable people/limitations, 17
 events (flood)
 actual, behavioural analysis, 68
 defined *see* defined flood event
 extreme *see* extreme events
 fatalities, 82
 historical *see* historical flooding
 severity *see* severity
 existing communities *see* communities
 existing studies, 67–68
 expectations of community, 130, 214
 exposure (to flood)
 communities, study data, 69
 likelihood, 5–6
 populations exposed to different degrees of, 83–85
 extent of flood, 75–76, 168–170
 mapping, 146
 extreme events
 knowledge of, 17
 mapping of probability, 169, 170
 risk to people in emergency response in events up to, 161
 farming *see* agriculture
 fatalities, 80–82, 201
 feasibility (of options), 120, 132
 levee system, 180
 Federal Emergency Management Agency (FEMA - USA), 55
 Federal Interagency Floodplain Management (FIFM) Task Force (USA), 25–26, 26
 fencing, 175
 FIFM Task Force (USA), 25–26, 26
 filling, 175
 minimum fill levels for property, 176

- financial efficiency, 128
 - see also* cost
- flash flood, xxvi, 86, 181, 195, 202
- Flood Data Portal (NSW), 173
- flood and flooding
 - benefits, 17, 91
 - definition, xxvi
- flooded exit overland (FEO), 88
- flooded exit route (FER), 88
- flooded isolated and elevated (FIE), 88, 144, 149
- flooded isolated and submerged (FIS), 88, 143, 146, 148
- floodgates, 114, 182
- floodplain, 57–63
 - breakdown (in risk or hazard thresholds), 140–142, 201
 - changes within, 9–10
 - decisions to place development or infrastructure within, 18–19
 - filling *see* filling
 - floodplain-specific management process, 57–63
 - information, 70
 - topography, 70, 86, 135, 146
 - local floodplain management committee, 45
 - management plans, 26, 59–62
 - forward planning, 55
 - reviews and updates, 61–62, 214–215
- Floodplain Management Strategy* (Victoria), 27
- flood-proofing, 116, 185–186
 - temporary measures *see* temporary measures
- floodwater
 - flow *see* flow
 - velocity *see* velocity
- floor levels of buildings/properties
 - minimum, 177
 - raising, 116, 120, 185
- flow
 - concentration, 10
 - conveyance (and conveyance areas), xxvii, 76, 143, 186, 187
 - constraints relating to, 142, 148
 - in defined flood event, 142
 - improved, 115, 182–183
 - in larger events, 143
 - maintaining, 174–175
 - peak, xxviii
 - travel time down waterway, changes to, 10
- flowpaths, maintaining, 156, 174–175
 - see also* waterways
- forecasts *see* prediction; weather
- forward planning, 53, 55, 56
- freeboard, 146, 155, 164, 180
- fringe (flood), xxvi, 76–77
- functions (flood), xxvi, 76
 - changing, 77–78
 - mapping, 146
- future (the)
 - potential developments, assessing cumulative impacts of, 59
 - studies, data collection to support, 68
- geological soil maps, 168
- governance (disaster risk), 33–46
 - establishing clear arrangements, 27–28
 - higher level *see* higher level
 - local level *see* local and regional level
 - strengthening, 21
 - sustainable arrangements, 33–46
 - varying degrees of sophistication of, 35
- government, 33–42
 - links and interactions with other sectors, 43, 53, 55
 - links and interactions within and between levels of, 43–44, 45, 53
 - service areas, 14–15, 29–30, 172
 - vision statements, 25
 - see also* higher level; public administration
- Grantham (Queensland), 186
- greenfield development, 103, 151
- Gwydir Valley Floodplain, 26

- habitable rooms, xxvii, 177
- Hawkesbury–Nepean catchment, 14, 30, 154, 210
- hazards - H1-H6 (flood), xxvi, 6, 77, 82, 84, 168–170
 - constraints relating to, 142, 143, 144, 146, 147, 148, 149, 151, 161
 - construction of buildings in hazard areas, 176
 - mapping, 146, 168–170
 - new developments and, 161
 - populations exposed to different degrees of, 83–85
 - rating (HR), 85
- height of structure in multi-criteria assessment, design, 129
- higher level (national level incl. state/government/governance), 45
 - information and data at, 38, 39
 - end user needs to access, 172
 - lessons learned (in Australia), 211
 - linkages with other levels/sectors, 45, 53, 55
 - prevention/preparation/response/recovery, 36, 38–39
 - support and direction, 35–39
 - vision statements, 25
 - see also* government
- historical flooding (past flood events), 65, 73
 - information, 57, 67, 69, 166, 168–169
 - lessons learned *see* lessons learned
- homes *see* properties
- hospitals
 - community, in emergency response, 96, 137, 145, 159, 160, 161, 162–163
 - patients, 88
- houses *see* properties
- hydraulics, xxvii, 70
 - models, 72–73, 163, 166, 167
- hydrographs, 27, 87
- hydrological analysis, xxvii
- hydrological models, 9, 72, 72–73, 166, 167
- IFRC (International Federation of Red Cross and Red Crescent Societies), 21
- illness, 82–83
- impacts (of flood)
 - on behaviour of floods *see* behaviour
 - of climate change *see* climate change
 - on communities *see* communities
 - of development *see* development
 - environmental *see* environment
 - non-government sector response, 43
 - severity of flood and, 198
 - see also* consequences
- implementation (of plans), 61
 - non-government sector, 42
 - reviewing, 56
- incident management system, 203
- individuals
 - in community
 - information for, 41, 54, 145–146, 199
 - role of, 37, 41–42
 - as end-users, 15, 172
 - vulnerable *see* vulnerability
 - see also* people
- industrial facilities, vulnerabilities, 138
- information, 165–174
 - access to, 167, 171–173
 - availability, 171–173
 - behaviour of floods, 66, 166, 168–170, 175, 176, 181
 - capturing *see* data
 - for community and its individuals, 41, 54, 145–146, 199
 - from community/stakeholders/other agencies, 62
 - for decision-making *see* decisions
 - degrees of sophistication, 168–170
 - floodplain *see* floodplain
 - high-level *see* higher level
 - historical, 57, 65, 67, 166, 168–170
 - on land-use planning, 135–139
 - local-level *see* local and regional level
 - non-government sector, 43

- pathways for discovery, 173–175
- spatial, 75–78, 135, 140, 153, 171
- utility, 171–173
- in various management approaches, 50
- warning
 - dissemination, 194, 196
 - transfer systems, 194
- see also* data; education; knowledge
- infrastructure
 - community *see* communities
 - high-level responsibilities, 38
 - information, 70
 - local-level responsibilities, 40, 54
 - managing flood risk to and resulting from, 161–163
 - mitigation *see* mitigation
 - new, 12, 43, 70
 - decisions to place it within floodplain, 18–19
- injuries, 82–83
- insurance, 16, 172, 209–211
 - costs, 41, 210
 - high-level responsibilities, 39, 172
 - individual (in community) role, 41
 - local-level responsibilities, 40, 55
- intangible damages, 89–91
- intellectual property rights, 55
- interactions and links between various levels/sectors, 43–44, 45, 53, 62–63
- intermittently closed and open lakes and lagoons (ICOLs) to the ocean, 3, 9, 136
- internal drainage boards, 46
- International Federation of Red Cross and Red Crescent Societies (IRRC), 21
- inundation, 17, 185–186
 - coasts, xxv, 3, 136, 149
- investigations (into risk management), 84, 109
 - outputs, 20
 - previous, records, 57, 69
- investment
 - in construction of buildings, 41
 - in disaster risk reduction for resilience, 21
- levees, 180
 - in properties, 41
 - in studies, 28
- isolation (of people and areas from safety and support), 78, 86–88
 - and elevated (FIS), 88, 143, 148
 - stresses associated with, 201
 - and submerged (FIS), 88, 144, 146, 148
- knowledge
 - of extreme events, 17
 - of flood risk
 - local level, 53, 54, 55
 - in various management approaches, 50
 - see also* information
- lakes (coastal), 95
 - intermittently closed and open lakes and lagoons (ICOLs) to the ocean, 3, 9, 136
- land
 - available land stock and its constraints, 150
 - rezoning, 115, 156, 186
- land-use
 - information, 70
 - planning (activities/buildings/systems), 38, 61, 134, 135–139, 153–158, 165
 - community-scale, 15
 - controls, 160–161, 215
 - high-level, 38
 - information supporting, 135–139
 - local-level, 40, 54
 - in various management approaches, 51
- leadership
 - local-level, 39
 - national-level, 38
- lessons learned, 194, 211–215
 - individuals in community, 41
 - local level, 40
 - national level, 38
 - non-government sector, 42

- levees, 6, 12, 17, 23, 75, 96, 101, 116, 120, 123, 127, 129, 145, 146, 164, 179–180, 182, 199, 214
 - threats to/failure of/overtopping, 6, 96, 99, 145, 178, 179, 185, 198, 199, 200, 204, 213
- life-cycle costs, xxvii, 59, 119, 122
- likelihood
 - of exposure to flood, 5–6
 - of flood, 5–6
 - relative to annual exceedance probability, 7
 - see also* probability
- links and interactions between various levels/sectors, 43–44, 45, 53, 62–63
- local and regional level (incl. governance/government/authorities), 39–40, 45, 48–56, 173–174
 - decisions at *see* decisions
 - development standards, 158–160
 - framework for risk management at, 48–56
 - example, 49
 - information and data at, 53–55, 173–174
 - end user needs to access, 172
 - responsibilities for collection, 39, 40
 - sharing, 53, 54, 173–174
 - linkages with other levels/sectors, 45, 53
 - NSW local environmental plans (LEPs), 153, 154
 - prevention/preparation/response/recovery, 36–37, 39–40
 - sustainable governance, 34, 36–37, 39–40
 - vision statements, 24–26
- location (place)
 - developments
 - in floodplain, 18–19
 - new, 151
 - relative to existing community, 103
 - infrastructure (new) in floodplain, 18–19
 - mitigation works, 129
 - in studies for communities, 71
 - see also* relocation; site
- logistics
 - barriers, 181
 - evacuation, 202
- loss, definition, xxvii
- management (strategic risk), 13–31, 109–164
 - ability and capability, 111–112, 121–122
 - benefits, 30–31
 - current practices, 93–108
 - definition, xxviii
 - existing communities, 18, 113–134
 - framework, 47–63, 151, 173, 195, 199, 205
 - requirements for effective management, 47–48
 - of growth in risk, 12, 101, 134, 151, 158, 160
 - effective, 109, 136, 151
 - importance, 13
 - investigations into *see* investigations
 - key factors, 13–20
 - meaning/defining, 20–24
 - planning *see* planning
 - types of risk management response, 11
 - where to start, 24–30
- management options/available measures, xxviii, 99, 114–134
 - examination/assessment, 117–119, 166
 - detailed, 121–134
 - preliminary assessment, 120–121
 - example, 110–111
 - identification, 119–120
 - see also* preparation; prevention; recovery; response
- Managing the Floodplain: A Guide to Best Practice in Flood Risk Management in Australia*, 4
- mapping (of constraints), 139–142, 146
 - hazards, 146, 168–170
- maximum flood, probability of (PMF), 1, 5, 29, 144, 145, 146, 162

- maximum precipitation, probable (PMP), xxviii
- medical problems (illness and injury), 82–83
- Melbourne Water, 26
- mental health impact, 83
- mitigation (flood), xxviii, 61, 178–187
 - high-level responsibilities, 38
 - infrastructure/works, 130
 - dams, 114, 183
 - limitations of, 116–117
 - location, 129
 - local-level responsibilities, 40
 - in various management approaches, 51
- modelling of flood behaviour, 65, 69, 72–73, 74, 166–167, 168–170
 - uncertainties, 163
- monitoring, 19–20, 192
 - reviewing, 56
- Moreton Bay Regional Council, 26
- mortalities (fatalities), 80–82, 201
- multi-agency management, 203
- multi-criteria assessment, 127–130
- national level *see* higher level
- National Strategy for Disaster Resilience* (Australia), 21, 24, 34, 42
- natural controls, 136
- needs *see* end uses and users
- Neighbourhood Flood Vulnerability Index (UK), 92
- net present value (NPV), 129
- new community, 6, 159
- new developments *see* developments
- new infrastructure *see* infrastructure
- New South Wales (NSW), 14, 44, 55, 66, 82, 95, 153–154, 173, 180, 200, 210, 211
- Newcastle City Council (New South Wales), 55
- non-government sector (incl. NGOs) roles, 37, 42–43, 45
 - links with other levels/sectors, 45, 53
- not flooded indirect consequences (NIC), 88, 92
- oceans *see* seas and oceans
- older people *see* aged
- optimisation of options, 121
- parking, 177
- past events *see* historical flooding
- peak flow, xxviii
- people
 - consequences for, 79, 80–88
 - with existing management measures in place, 101
 - individual (in community), role of, 37, 41–42
 - isolation from safety and support *see* isolation
 - with no management measures in place, 97, 99
 - in option assessment, 132
 - in multi-criteria assessment, 127
 - vulnerability *see* vulnerability
 - see also* individuals
- place *see* location; site
- planning
 - developing flood planning constraint categories, 142–149
 - emergency management/response, 164, 195, 197–203
 - community-scale, 15–16, 61, 121, 143, 190
 - residential and commercial properties, 191
 - floodplain management *see* floodplain
 - forward, 53, 55, 56
 - implementation of plan *see* implementation
 - individual (in community) role, 41
 - land-use *see* land-use
 - non-government sector, 42
 - recovery, 39, 40, 61, 121, 191, 206
 - update and review of plan, 61–62
- post-event/post-flooding
 - behaviour assessment, 214–215
 - data collection/capture, 68, 211–212
 - recovery *see* recovery
 - roles and responsibilities, 192–193

- potential flooding, considering range of, 146
- power supply, 178
- precincts (risk), 141
- precipitation (incl. rainfall)
- forecasts/predictions/warnings, 195–196, 197
 - intensity of rainfall, xxviii, 28
 - measurements/gauges, 212
 - probable maximum (PMP), xxviii
- predictions, 16, 189, 190, 192, 193, 194, 195–197, 198
- high-level responsibilities, 38
 - local-level responsibilities, 40
- preparation, 11, 23, 189–197
- examples of roles in, 36–37
 - high-level responsibilities, 38
 - individuals in community, 41
 - local-level responsibilities, 40
 - non-government sector, 42, 43
 - state of being prepared (preparedness/readiness), xxvii, 21, 190, 204–205
- prevention and avoidance, 11, 23, 38, 165–187
- examples of roles in, 36–37
 - higher-level, 38
 - individuals in community, 41
 - local-level, 39–40
 - non-government sector, 42, 43
- prioritisation (in option-choosing), 131–134
- probability, xxviii, 168–170
- of maximum flood (PMF), 1, 5, 29, 144, 145, 146, 162
 - of maximum precipitation, xxviii
 - see also* likelihood
- properties (incl. houses/homes/residences)
- emergency plans, 191
 - floor levels *see* floor levels
 - individual, management at scale of, 110
 - investment in, 41
 - minimum fill levels for, 176
 - mitigation measures, 179, 185–187
 - rezoning, 115, 156, 186
 - purchasing of, 61, 115, 187
 - vulnerabilities, 137
 - see also* buildings; commercial properties
- protection, 6, 104
- practical levels, in multi-criteria assessment, 129–130
 - see also* barriers
- psychological impact, 83
- public administration, impact on, 79, 91
- with existing management measures in place, 101
 - in multi-criteria assessment, 129
 - with no management measures in place, 97, 99
 - in option assessment, 133
- Queensland, 89, 186, 211
- rainfall *see* precipitation
- raising floor levels (buildings and properties), 116, 120, 185
- readiness/preparedness (flood), xxvii, 21, 190, 204–205
- recommendations (for option-choosing), 131–134
- reconstruction, enhancing disaster preparedness and to build back better in, 21
- recovery, 11, 23, 205–209
- enhancing disaster preparedness and to build back better in, 21
 - examples of roles in, 36–37
 - high-level responsibilities, 39
 - individuals in community, 41–42
 - local-level responsibilities, 40
 - non-government sector, 42, 43
 - plans, 39, 40, 61, 121, 191, 206
 - reviews of, 214
- recurrence interval, average (ARI), xxv, 5
- reduction (disaster risk), 165–187
- high-level responsibilities, 38
 - investing in, for resilience, 21

- regional level *see* local and regional level
- rehabilitation, enhancing disaster
 - preparedness and to build back better in, 21
- relocation of developments, 115, 156, 186
- repairing community infrastructure, 209
- replacing community infrastructure, 209
- reporting (of data), 75
 - on data collection, 70
- residences *see* properties
- residual risk, xxviii, 7, 110
- resilience (community), 21–22, 26, 33, 34
 - local forums, 46
- response (to threat), 11, 23, 203–204
 - community-scale emergency management planning to facilitate, 15–16
 - emergency *see* emergency response
 - enhancing disaster preparedness for effective response, 21
 - examples of roles in, 36–37
 - high-level responsibilities, 39
 - individuals in community, 41
 - local-level responsibilities, 40
 - non-government sector, 42, 43
 - preparing for *see* preparation
 - reviews of, 214
 - time *see* time
- responsibilities *see* roles and responsibilities
- retarding basins, 115, 184
- reviewing, 19–20, 58, 61–62, 192, 214–215
 - of floodplain management plans, 61–62, 214–215
 - of implementation, 56
 - of monitoring, 56
 - of response and recovery, 214
 - of warning performance, 214
- rezoning (property), 115, 156, 186
- risk (disaster incl. flood), 3–12
 - acceptability, 94–96
 - analysis, xxviii, 7, 94
 - assessment/evaluation
 - confidence of, 94
 - detailed, 148, 149
 - relative, 117
 - definition, 4
 - factors influencing, 8–12
 - governance, strengthening, 21
 - management *see* management
 - matrices, 7, 8, 93
 - reduction *see* reduction
 - residual, xxviii, 7, 110
 - understanding, 4–6, 21, 93–108
- rivers, 145, 182, 196–197
 - coastal, 95
- roles and responsibilities, 33–46, 197, 199, 206
 - after flood, 192–193
 - during flood, 192–193
 - examples, 36–37
 - shared responsibilities, 33, 192, 205
- run-off, xxviii, 9–10, 75
- safety, isolation of people from *see* isolation
- satellite imagery, 68, 212
- schools, 137
- scoping of studies for communities, 72
- Scottish Environment Protection Agency, 55
- seas and oceans
 - intermittently closed and open lakes and lagoons (ICOLLs) to, 3, 9, 136
 - level changes and rises, 9, 75, 105, 107
- severity of event/flood
 - impacts/consequences relating to, 81, 198
 - recovery and, 206
- sharing
 - information and data, 173–174
 - at local level, 53, 54, 173–174
 - responsibilities, 2–5, 33, 192
- site
 - access to, 176
 - design, 176
 - see also* location; relocation
- social setting (and social impact), 79, 92
 - with existing management measures in place, 101
 - with no management measures in place, 97, 99
 - in option assessment, 130, 133

- spatial information, 75–78, 135, 140, 153, 171
- stakeholders, interaction with, 62–63
- standards
 - acceptability of risk, 95
 - development, 4, 19, 29, 107
 - buildings constructed in hazard areas, 176
 - general, 16
 - local, 158–160
 - minimum, 103
 - in multi-criteria assessment, 129
 - information on, 69
- storage areas (flood/temporary water storage), xxvii, 76, 183–184
 - constraints relating to, 142
 - maintaining, 175
- Strategic National Framework on Community Resilience* (UK), 33
- structural requirements for buildings, 177
- studies, 57–59, 67–75, 140, 166–167
 - for communities *see* communities
 - data collection
 - for communities, 70–75
 - during studies, 68–69
 - existing studies, 67–68
 - to support future studies, 68
 - in floodplain-specific management process, 57
 - investment, 28
 - reporting on outcomes of, 166–167
- submerged, isolated and (FIS), 88, 144, 146, 148
- support
 - high-level government, 35–39
 - isolation of people from *see* isolation
 - for land-use planning, information aiding, 135–139
 - non-government sector, 42
 - for recovery, 39, 40, 41
- sustainable governance arrangements, 33–46
- tangible and intangible damages, 89–91
- Tasmania, 211
- temporary measures
 - flood-proofing, 186
 - barriers, 114, 180–181
 - as part of permanent protection, 179
 - water storage *see* storage areas
- tidal anomaly, xxviii
- time (and timelines) to response, 85–86
 - evacuation, 202
- timing (of flood), modelling, 28
 - see also* warnings
- topography, floodplain, 70, 86, 135, 146
- UK *see* United Kingdom
- uncertainty in flood behaviour and
 - decision-making, 163–164
 - insurers and reduction in, 210
- Understanding the Risks, Empowering Communities, Building Resilience: National Flood and Coastal Erosion Risk Management Strategy for England* (UK), 25, 27
- United Kingdom (UK)
 - bodies involved in flood risk management, 46
 - insurance, 211
 - Neighbourhood Flood Vulnerability Index, 92
 - Strategic National Framework on Community Resilience*, 33
 - Understanding the Risks, Empowering Communities, Building Resilience: National Flood and Coastal Erosion Risk Management Strategy for England*, 25, 27
- United States (USA)
 - Community and Regional Resilience Institute (CRRRI), 22
 - FEMA (Federal Emergency Management Agency), 55
 - FIFM Task Force, 25–26, 26
 - update of management plan, 61–62
 - USA *see* United States
 - utility services, 178

- validity of hydraulic and hydrological models, 73
- vegetation, 9, 10, 182, 183
- vehicles *see* cars
- velocity (floodwater), xxviii, 77, 84, 85
 - hazardous combinations of depth and, 84–85
- vertical evacuation, 202
- Victoria (State), 25
 - Emergency Management Victoria, 22
 - Floodplain Management Strategy*, 27
 - lessons learned, 211
 - Victorian Bushfires Royal Commission Final Report Summary*, 33
- vision statements, 24–26
- vulnerability (of people and community), xxviii, 70, 92, 101, 136, 137–138, 210–211
 - car parks, 177
 - hazard vulnerability classification, 84
- warnings (and warning systems), 16, 121, 146, 189–197
 - high-level responsibilities, 38, 39
 - individual (in community) responsibilities, 41
 - local-level responsibilities, 40
 - non-government sector, 43
 - performance reviews, 214
 - systems and arrangements, 192–195
 - warning time, 19, 86, 145, 146, 161, 198, 201
 - effective, xxvi, 26, 181, 202
- wastewater, 178
- water
 - level measurements, 212
 - storage areas, temporary *see* storage areas
 - supply/facilities, 178
 - see also* flood-water; wastewater
- waterways
 - changes in capacity and flow travel time down, 10
 - entrances, changes to, 10
 - warnings concerning, 195
- waves, 163
- weather forecasts and information systems, 16, 57, 195–196
- weighted assessment, 131
- wet flood-proofing, 186
- zoning, 140, 153, 155, 158
 - see also* rezoning